

Childhood hypersensitivity linked to OCD

December 27 2011

In childhood, rituals like regular schedules for meal, bath, and bed times are a healthy part of behavioral development. But combined with oral and tactile sensitivities, such as discomfort at the dentist or irritation caused by specific fabrics, these rituals could be an early warning sign of adult Obsessive Compulsive Disorder (OCD).

According to Prof. Reuven Dar of Tel Aviv University's Department of Psychology, hypersensitivity and excessive [adherence](#) to childhood rituals may foreshadow the onset of OCD as the child ages. He first suspected the link while working with OCD patients who reported sensitivity to touch and taste as [children](#). Now, in the first comprehensive study of its kind, Prof. Dar and his fellow researchers have established a direct correlation between sensory processing — the way the nervous system manages incoming sensory information — and ritualistic and obsessive-compulsive behaviors.

The study, which appears in the *Journal of Behavior Therapy and Experimental Psychiatry*, suggests that when children experience heightened levels of sensitivity, they develop ritualistic behaviors to better cope with their environment. In the long term, this is one potential pathway to OCD.

Connecting the behavioral dots

Two studies were devised to map the connection between sensory processing, rituals, and OCD. In the first, parents of kindergarten children were asked to complete three questionnaires on their child's

behaviour — their level of ritualism, such as the need to repeat certain acts or to order objects in a particular way; their level of anxiety, with questions relating to reaction to strangers, worrying about outcomes of events, and attachment to family members; and last, their reactions to everyday sensory events such as being touched or exposed to unusual tastes or smells.

In the second study, the researchers asked 314 adult participants to answer surveys online in relation to their OCD tendencies, their anxiety levels, and their past and current sensitivity to oral and tactile stimulation.

Results from both studies indicated a strong connection between compulsive tendencies and hypersensitivity. In children, hypersensitivity was an indicator of ritualism, whereas in adults it was related to OCD symptoms. As a whole, these findings provide preliminary support for the idea that such sensitivities are a precursor to OCD symptoms. When children are extremely sensitive to certain types of touch or smell, they can feel that they are being attacked, or that the environment is threatening them, Prof. Dar believes. Ritualism could develop as a defence mechanism, helping these children to regain a sense of control, which is also a symptom of adults with OCD.

Identifying the turning point

Next Prof. Dar hopes to conduct a longitudinal study to better understand the connection between [hypersensitivity](#) in childhood and adult OCD, following a large sample of children who experience oral and tactile sensitivities through to adulthood.

Of course, Prof. Dar says, all children have particular habits and preferences, and they're not all precursors to OCD. So what should parents watch for to correctly characterize normal and potentially

pathological behavior? "If you see that a child is very rigid with rituals, becoming anxious if unable to engage in this behavior, it is more alarming," he explains. Also, age is a factor. A habit exhibited by a five- or six-year-old is not necessarily a predictor of OCD. If the same behavior continues to the ages of eight and above, it could be a warning sign, especially if accompanied by anxiety or distress.

Provided by Tel Aviv University

Citation: Childhood hypersensitivity linked to OCD (2011, December 27) retrieved 24 April 2024 from <https://medicalxpress.com/news/2011-12-childhood-hypersensitivity-linked-ocd.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--