



Dr. Manjith Narayanan, one of the leaders of the study from the University of Leicester, said: "It was believed that there was no further increase in the number of alveoli beyond that age, and that the existing alveoli just expanded as the lungs grew bigger until final adult size was reached."

"Our study has challenged this by suggesting that new alveoli continue to be formed as the lungs grow."

The study, published online ahead of print in the *American Journal of Respiratory and [Critical Care Medicine](#)*, was a collaboration between researchers in the Department of Infection, Immunity and Inflammation, University of Leicester, the Department of Physics and Astronomy, University of Nottingham, and the University of Bern. It was funded by The Wellcome Trust<sup>1</sup>.

The researchers studied over 100 healthy volunteers aged between 7 and 21 years. Each volunteer had a range of [breathing tests](#) in Leicester, and was then accompanied to Nottingham for a special [magnetic resonance](#) (MR) scan, during which they breathed in hyperpolarised helium and held their breaths.



MR scanner with an anonymous subject. Credit: University of Leicester

Dr. Narayanan, a Clinical Research Fellow, explains:

"The helium is hyperpolarised, which means that the molecules all line up in one direction and it then behaves like a magnetised gas. Within the scanner, we can measure how the magnetism decays, and this in turn depends on the size of the [air sacs](#) – alveoli – which contain the helium. The technique is safe and not painful or uncomfortable in any way."

Senior Lecturer at Leicester Dr. Caroline Beardsmore describes the study:

"We studied small children, whose lungs contain approximately one litre of air, and full-grown adults with lung volumes of around four litres. We found very little difference in the size of the alveoli across everyone we studied. If the size of the alveoli are hardly changing, this can only mean one thing – as our lungs increase in size, we must be growing new alveoli."

Professor Mike Silverman, Emeritus Professor of Child Health at Leicester, adds:

"This research has important implications. If we can continue to develop new alveoli beyond early childhood, going on through adolescence, there is the potential for lung repair following injury that was never realised before. Conversely, external factors (possibly including inhaled pollution) could have a negative impact on lung development. We now have the basis for looking at many factors with the potential to impact on [lung](#) health in the future."

**More information:** Manjith Narayanan, John Owers-Bradley, Caroline S. Beardsmore, Marius Mada, Iain Ball, Ruslan Garipov, Kuldeep Panesar, Claudia E. Kuehni, Ben Spycher, Sian E. Williams, Michael Silverman. Alveolarization continues during childhood and adolescence: new evidence from  $^3\text{He}$  magnetic resonance. *Am. J. Respir. Crit Care Med* In Press published ahead of print on October 27, 2011 as [doi:10.1164/rccm.201107-1348OC](https://doi.org/10.1164/rccm.201107-1348OC)

Provided by University of Leicester

Citation: New study fundamentally alters our understanding of lung growth (2011, December 6) retrieved 24 April 2024 from

<https://medicalxpress.com/news/2011-12-fundamentally-lung-growth.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.