

Bacteria in the gut of autistic children different from non-autistic children

January 9 2012

The underlying reason autism is often associated with gastrointestinal problems is an unknown, but new results to be published in the online journal *mBio* on January 10 reveal that the guts of autistic children differ from other children in at least one important way: many children with autism harbor a type of bacteria in their guts that non-autistic children do not. The study was conducted by Brent Williams and colleagues at the Mailman School of Public Health at Columbia University.

Earlier work has revealed that [autistic individuals](#) with [gastrointestinal symptoms](#) often exhibit inflammation and other abnormalities in their upper and lower intestinal tracts. However, scientists do not know what causes the inflammation or how the condition relates to the developmental disorders that characterize autism. The research results appearing in *mBio* indicate the communities of [microorganisms](#) that reside in the gut of [autistic children](#) with [gastrointestinal problems](#) are different than the communities of non-autistic children. Whether or not these differences are a cause or effect of autism remains to be seen.

"The relationship between different microorganisms and the host and the outcomes for disease and development is an exciting issue," says Christine A. Biron, the Brintzenhoff Professor of Medical Science at Brown University and editor of the study. "This paper is important because it starts to advance the question of how the resident [microbes](#) interact with a disorder that is poorly understood."

Bacteria belonging to the group *Sutterella* represented a relatively large

proportion of the microorganisms found in 12 of 23 tissue samples from the guts of autistic children, but these organisms were not detected in any samples from non-autistic children. Why this organism is present only in [autistic kids](#) with gastrointestinal problems and not in unaffected kids is unclear.

"*Sutterella* has been associated with [gastrointestinal diseases](#) below the diaphragm, and whether it's a pathogen or not is still not clear," explains Jorge Benach, Chairman of the Department of Microbiology at Stony Brook University and a reviewer of the report. "It is not a very well-known bacterium."

In children with autism, digestive problems can be quite serious and can contribute to behavioral problems, making it difficult for doctors and therapists to help their patients. Autism, itself, is poorly understood, but the frequent linkage between this set of developmental disorders and problems in the gut is even less so.

Benach says the study was uniquely powerful because they used [tissue samples](#) from the guts of patients. "Most work that has been done linking the gut microbiome with autism has been done with stool samples," says Benach, but the microorganisms shed in stool don't necessarily represent the microbes that line the intestinal wall. "What may show up in a stool sample may be different from what is directly attached to the tissue," he says.

Tissue biopsy samples require surgery to acquire and represent a difficult process for the patient, facts that underscore the seriousness of the gastrointestinal problems many autistic children and their families must cope with.

Benach emphasizes that the study is statistically powerful, but future work is needed to determine what role *Sutterella* plays, if any, in the

problems in the gut. "It is an observation that needs to be followed through," says Benach.

More information: mbio.asm.org/

Provided by American Society for Microbiology

Citation: Bacteria in the gut of autistic children different from non-autistic children (2012, January 9) retrieved 3 May 2024 from <https://medicalxpress.com/news/2012-01-bacteria-gut-autistic-children-non-autistic.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--