

# New guidelines to prevent infection in minor surgery

January 30 2012

---

New guidelines from the Healthcare Infection Society (HIS) aimed at minimising surgical infection in day centres and primary care are now published in the *Journal of Hospital Infection*.

"These guidelines are the first ever published guidance in the UK that define, from an [infection prevention](#) and control perspective, the basic physical requirements for facilities in which surgical procedures may be performed outside conventional operating theatres and carried out within day centres and [primary care](#)," advises Professor Hilary Humphreys, lead author on the HIS guidelines and Professor of [Clinical Microbiology](#) at the Royal College of Surgeons in Ireland in Dublin.

Recent changes in healthcare include the provision of more surgical services in primary care and day centres where it may be cheaper and easier for patients to access them, rather than admit patients to an acute hospital. In addition, developments in certain areas of medicine, such as [interventional radiology](#) and [cardiology](#), have expanded the range and complexity of procedures now undertaken outside an acute hospital setting. However, not all of these new settings are suitably equipped to prevent and control infection when undertaking minor surgery.

"The trend to carry out more minor surgery in day centres and primary care is presenting new challenges – as some of these facilities are not appropriately set up to undertake minor surgery," continues Professor Humphreys.

To address this issue, HIS convened a multi-disciplinary group tasked with producing the first ever UK guidelines to minimise infection occurring outside conventional operating theatres. The guidelines, published in the February 2012 issue of the *Journal of Hospital Infection*, cover topics such as appropriate ventilation, use of instruments, flooring/ceiling requirements etc.

These guidelines should now be referred to by all infection prevention and control teams and others (e.g. practice managers) involved where minor surgical procedures are to be carried out in day centres or primary care settings. They should also be considered when developing new facilities or updating/refurbishing pre-existing facilities.

Dr. Tim Boswell, Consultant Microbiologist at Nottingham University Hospitals, and Chairman of HIS comments, "The Society hopes that these guidelines will improve the safety and quality of patient care in settings outside hospital operating theatres and also recommends that on-going surveillance of outcomes, such as surgical site [infection](#), takes place to guide future guidelines and practice."

**More information:** The guidelines are published as: "Guidelines on the facilities required for minor surgical procedures and minimal access interventions" by H. Humphreys, J.E. Coia, A. Stacey, M. Thomas, A.-M. Belli, P. Hoffman, P. Jenks, C.A. Mackintosh ([doi:10.1016/j.jhin.2011.11.010](https://doi.org/10.1016/j.jhin.2011.11.010)). The article appears in the *Journal of Hospital Infection* Volume 80, Issue 2 (February 2012).

Provided by Elsevier

Citation: New guidelines to prevent infection in minor surgery (2012, January 30) retrieved 6 May 2024 from <https://medicalxpress.com/news/2012-01-guidelines-infection-minor->

[surgery.html](#)

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.