

# What to consider when teens with autism want to drive?

January 9 2012

---

In the first study to investigate driving as it relates to teens with a high-functioning autism disorder (HFASD), child development and teen driving experts at The Children's Hospital of Philadelphia's Center for Child Injury Prevention Studies found that two-thirds of teenagers with a high-functioning autism spectrum disorder (HFASD) who are of legal driving age in their state are currently driving or plan to drive.

The study is published this month in the *Journal of Developmental and Behavioral Pediatrics*.

A HFASD is characterized by subtle impairments in [social interaction](#), communication, motor skills and coordination and by a difficulty in regulating emotions. Many of these capabilities come into play when driving.

"Little is known about how HFASDs affect a person's ability to drive safely," explained lead author Patty Huang, M.D., a developmental pediatrician at The Children's Hospital of Philadelphia (CHOP). "Over the past decade, the rate of children diagnosed with an HFASD has increased, meaning that more of those kids are now approaching driving age. [Car crashes](#) are the number one cause of death for teenagers, so it is important that we understand how HFASDs impact driving and how to develop appropriate educational and evaluation tools."

In a first step to better understand the issue, researchers surveyed almost 300 parents of [teens](#) with HFASDs and discovered a few predictive

characteristics among those teens who are likely to become drivers, including:

- At least 17 years old
- Enrollment in full-time regular education
- Planning to attend college
- Having held a paid job outside the home
- Having a parent who has taught another teen to drive
- Inclusion of driving-related goals in his or her individualized education plan (IEP)

"It's very common for parents of kids with HFASDs to ask how they should handle learning to drive. Knowing these characteristics can help us prepare anticipatory guidance for families," said Dr. Huang. "In Pennsylvania, it's the law for teens to have a doctor's sign-off before they can get a learner's permit and that makes it easier to address driving-specific concerns. In states that don't have those laws, it's an issue that physicians should be prepared to address with their patients and their parents."

When determining whether a teen with an HFASD is ready to begin driving, researchers say it might be helpful to make an appointment with a specialist, such as an occupational therapist or driving instructor, who may be able to offer guidance on how to break [driving](#) lessons down into steps that are easier for teens with an HFASD to digest and put into practice.

"We hope this study will lay the groundwork for future research into improving the ability to assess readiness to drive among teens with autism spectrum," said Dr. Huang.

**More information:** More information about helping teens with special

needs prepare to drive is available at [www.teendriversource.org/](http://www.teendriversource.org/)

Provided by Children's Hospital of Philadelphia

Citation: What to consider when teens with autism want to drive? (2012, January 9) retrieved 2 May 2024 from <https://medicalxpress.com/news/2012-01-teens-autism.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.