

## The dark path to antisocial personality disorder

February 7 2012

With no lab tests to guide the clinician, psychiatric diagnostics is challenging and controversial. Antisocial personality disorder is defined as "a pervasive pattern of disregard for, and violation of, the rights of others that begins in childhood or early adolescence and continues into adulthood," according to the fourth edition of the Diagnostic and Statistical Manual of Mental Disorders (DSM-IV) of the American Psychiatric Association.

DSM-IV provides formal diagnostic criteria for every psychiatric disorder. This process may be guided by rating scales that measure the traits and features associated with a personality disorder. But, until now, no one has studied the dimensional structure associated with the DSM antisocial personality disorder criteria.

Dr. Kenneth Kendler of Virginia Commonwealth University and colleagues examined questionnaire and <u>genetic data</u> from adult twins. They found that the DSM-IV criteria do not reflect a single dimension of liability but rather are influenced by two dimensions of <u>genetic risk</u> reflecting aggressive-disregard and disinhibition.

"When psychiatrists, as clinicians or researchers, think about our psychiatric disorders, we tend to think of them as one thing – one kind of disorder – a reflection of one underlying dimension of liability," said Dr. Kendler. "This is also true of genetics researchers. We tend to want to identify and then detect 'the' risk genes underlying disorder X or Y."



Kendler added, "What is most interesting about the results of this paper is that they falsify this inherent and rather deeply held assumption. Genetic risk factors for antisocial personality disorder are not one thing. Rather, the disorder, as conceptualized by DSM-IV, reflects two distinct genetic dimensions of risk."

"The findings from this study make sense. The distinction between the two sets of heritable traits contributing to <u>antisocial personality disorder</u>, aggressive-disregard and disinhibition, highlights the complexity of unraveling the genes contributing to this personality style. We now have some puzzle pieces, but we have a long way to go to fit these pieces together," commented Dr. John Krystal, editor of *Biological Psychiatry*.

**More information:** The article is "A Multivariate Twin Study of the DSM-IV Criteria for Antisocial Personality Disorder" by Kenneth S. Kendler, Steven H. Aggen, and Christopher J. Patrick (doi:10.1016/j.biopsych.2011.05.019). The article appears in *Biological Psychiatry*, Volume 71, Issue 3 (February 1, 2012)

## Provided by Elsevier

Citation: The dark path to antisocial personality disorder (2012, February 7) retrieved 3 May 2024 from <u>https://medicalxpress.com/news/2012-02-dark-path-antisocial-personality-disorder.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.