

Dose-Response link between tanning bed use, skin cancer

February 28 2012



(HealthDay) -- Use of tanning beds, especially in high school and college, is associated with an increased risk of skin cancer, according to a study published online Feb. 27 in the *Journal of Clinical Oncology*.

Mingfeng Zhang, M.D., from Brigham and Women's Hospital in Boston, and colleagues conducted a prospective observational study of 73,494 female nurses, from 1989 to 2009, to investigate whether the frequency of tanning bed use during high school/college and at ages 25 to 35 correlated with the risk of skin cancer. Models were adjusted for host risk factors, sun exposure behaviors at a young age, and ultraviolet index of residence.

During follow-up, the researchers found that 5,506 nurses were diagnosed with [basal cell carcinoma](#) (BCC), 403 with [squamous cell carcinoma](#) (SCC), and 349 with melanoma. For an incremental increase

in use of tanning beds of four times per year during both periods, the multivariable-adjusted hazard ratio (HR) of [skin cancer](#) was 1.15 for BCC (P

"These findings provide evidence to support warning the public against future use of [tanning beds](#) and enacting state and federal legislation to ban tanning bed use for those under age 18," the authors write.

More information: [Abstract](#)
[Full Text](#)

Copyright © 2012 [HealthDay](#). All rights reserved.

Citation: Dose-Response link between tanning bed use, skin cancer (2012, February 28) retrieved 25 April 2024 from
<https://medicalxpress.com/news/2012-02-dose-response-link-tanning-bed-skin.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--