

# Are my twins identical?

February 29 2012

---

Parents may be misinformed during prenatal scans on whether their twins are identical or non-identical, say UCL researchers in a new commentary piece published today in *BJOG: An International Journal of Obstetrics and Gynaecology*.

Determining if same-sex twins are identical or non-identical (from one egg or two; monozygotic or dizygotic) is not always straight forward, say the researchers. They looked at data from the Gemini study, a [birth cohort](#) of 2402 families with twins born in England and Wales in 2007.

Parents of same sex twins (1586) were asked if they knew whether their twins were identical or not and how they discovered that information.

The majority of parents (1302/82%) reported that they had been given the information by [health professionals](#) based on the formation of the placenta as seen on the prenatal scan. Of this group, as part of the Gemini data collection, all parents completed a validated zygosity questionnaire[1] when their twins were on average 8.2 months old. This questionnaire asks about the children's height, eye colour, hair colour and overall confusability and has been found in a previous study to correctly assign zygosity in 95% of cases.

The researchers found that out of the 1302 parents, 191 (14.7%) were misinformed about their same sex twins' zygosity (identical or non-identical).

In addition, 38% of parents said they were told after an antenatal scan

that their twins shared a [placenta](#) and were therefore identical while 62% of parents were told their twins were non identical as they had two placentas.

However 25-30% of [identical twins](#) can have two placentas say the researchers. If the zygote splits within two days of fertilisation, separate placentas develop.

Jane Wardle, [Health Behaviour](#) Research Centre, Department of Epidemiology and Public Health, University College London and co-author of the commentary paper said:

"Finding out if your twins are identical or not is important to parents. However our data suggests that there may be a lack of knowledge among some health professionals about both identical and non identical twins having two placentas.

"Parents have the right to the relevant information if it is available. However most parents will understand that it is not always possible to give a specific answer."

John Thorp, BJOG Deputy-Editor-in-Chief added:

"This paper highlights the uncertainty that can exist in finding out whether same sex twins are identical or not. Additional training may be required for health professionals to avoid giving out the wrong information to parents."

**More information:** [1] Price TS, Freeman B, Craig I, Petrill SA, Ebersole L, Plomin R. Infant zygoty can be assigned by parental report questionnaire data. Twin Res 2000;3:129-133.

Provided by Wiley

Citation: Are my twins identical? (2012, February 29) retrieved 30 April 2024 from <https://medicalxpress.com/news/2012-02-twins-identical.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.