

# Evidence builds that meditation strengthens the brain, researchers say

March 14 2012

---

Earlier evidence out of UCLA suggested that meditating for years thickens the brain (in a good way) and strengthens the connections between brain cells. Now a further report by UCLA researchers suggests yet another benefit.

Eileen Luders, an assistant professor at the UCLA Laboratory of Neuro Imaging, and colleagues, have found that long-term meditators have larger amounts of gyrification ("folding" of the cortex, which may allow the brain to process information faster) than people who do not meditate. Further, a direct correlation was found between the amount of gyrification and the number of meditation years, possibly providing further proof of the brain's [neuroplasticity](#), or ability to adapt to environmental changes.

The article appears in the online edition of the journal *Frontiers in Human Neuroscience*.

The [cerebral cortex](#) is the outermost layer of [neural tissue](#). Among other functions, it plays a key role in memory, attention, thought and consciousness. Gyrification or cortical folding is the process by which the surface of the brain undergoes changes to create narrow furrows and folds called sulci and gyri. Their formation may promote and enhance neural processing. Presumably then, the more folding that occurs, the better the brain is at processing information, making decisions, forming memories and so forth.

"Rather than just comparing meditators and non-meditators, we wanted to see if there is a link between the amount of [meditation practice](#) and the extent of brain alteration," said Luders. "That is, correlating the number of years of meditation with the degree of folding."

The researchers took [MRI scans](#) of 50 meditators, 28 men and 22 women, and compared them to 50 [control subjects](#) matched for age, [handedness](#) and sex. The scans for the controls were obtained from an existing MRI database, while the meditators were recruited from various meditation venues. The meditators had practiced their craft on average for 20 years using a variety of meditation types — Samatha, Vipassana, Zen and more. The researchers applied a well-established and automated whole-brain approach to measure cortical gyrification at thousands of points across the surface of the brain.

They found pronounced group differences (heightened levels of gyrification in active meditation practitioners) across a wide swatch of the cortex, including the left precentral gyrus, the left and right anterior dorsal insula, the right fusiform gyrus and the right cuneus.

Perhaps most interesting, though, was the positive correlation between the number of meditation years and the amount of insular gyrification.

"The insula has been suggested to function as a hub for autonomic, affective and cognitive integration," said Luders. "Meditators are known to be masters in introspection and awareness as well as emotional control and self-regulation, so the findings make sense that the longer someone has meditated, the higher the degree of folding in the insula."

While Luders cautions that genetic and other environmental factors could have contributed to the effects the researchers observed, still, "The positive correlation between gyrification and the number of practice years supports the idea that [meditation](#) enhances regional gyrification."

Provided by University of California - Los Angeles

Citation: Evidence builds that meditation strengthens the brain, researchers say (2012, March 14)  
retrieved 26 April 2024 from

<https://medicalxpress.com/news/2012-03-evidence-meditation-brain.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.