

Vitamin E in diet protects against many cancers, form commonly used in supplements has no such benefit

April 23 2012

Next time you need to choose between vegetable oil and margarine in that favorite recipe, think about your health and reach for the oil.

While the question of whether vitamin E prevents or promotes cancer has been widely debated in scientific journals and in the [news media](#), scientists at the Center for Cancer Prevention Research, at Rutgers Mario School of Pharmacy, and the Cancer Institute of New Jersey, believe that two forms of vitamin E – gamma and delta-tocopherols – found in soybean, canola and corn oils as well as nuts do prevent colon, lung, breast and prostate cancers.

"There are studies suggesting that vitamin E actually increases the risk of cancer and decreases bone density," says Chung S. Yang, director of the center. "Our message is that the vitamin E form of gamma-tocopherols, the most abundant form of vitamin E in the American diet, and delta-tocopherols, also found in vegetable oils, are beneficial in preventing cancers while the form of vitamin E, alpha- tocopherol, the most commonly used in vitamin E supplements, has no such benefit."

Yang and colleagues, Nanjoo Suh and Ah-Ng Tony Kong, summarized their findings recently in [Cancer Prevention](#) Research, a journal of the American Association for Cancer Research. In a Commentary, "Does Vitamin E Prevent or Promote Cancer?" the Rutgers scientists discuss animal studies done at Rutgers as well as human epidemiological studies

that have examined the connection between vitamin E and cancer.

Yang says Rutgers scientists conducting animal studies for colon, lung, breast and prostate cancer found that the forms of vitamin E in vegetable oils, gamma and delta-tocopherols, prevent cancer formation and growth in animal models.

"When animals are exposed to cancer-causing substances, the group that was fed these tocopherols in their diet had fewer and smaller tumors," Yang says. "When cancer cells were injected into mice these tocopherols also slowed down the development of tumors."

In researching colon cancer, Yang pointed to another recently published paper in [Cancer Prevention Research](#) indicating that the delta-tocopherol form of vitamin E was more effective than other forms of vitamin E in suppressing the development of colon cancer in rats.

This is good news for cancer research. Recently, in one of the largest prostate cancer clinical trials in the United States and Canada, scientists found that the most commonly used form of vitamin E supplements, alpha-tocopherol, not only did not prevent [prostate cancer](#), but its use significantly increased the risk of this disease among healthy men.

This is why, Yang says, it is important to distinguish between the different forms of vitamin E and conduct more research on its [cancer](#) preventive and other biological effects.

"For people who think that they need to take vitamin E supplements," Yang says, "taking a mixture of [vitamin E](#) that resembles what is in our diet would be the most prudent supplement to take."

Provided by Rutgers University

Citation: Vitamin E in diet protects against many cancers, form commonly used in supplements has no such benefit (2012, April 23) retrieved 27 April 2024 from <https://medicalxpress.com/news/2012-04-vitamin-diet-cancers-commonly-supplements.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.