

Final advice: Panel against routine prostate test

May 21 2012, By LAURAN NEERGAARD , AP Medical Writer

Healthy men shouldn't get routine prostate cancer screenings, says updated advice from a government panel that found the PSA blood tests do more harm than good.

Despite strenuous protests from urologists, the U.S. [Preventive Services Task Force](#) is sticking by a contentious proposal it made last fall. A final guideline published Monday says there's little if any evidence that PSA testing saves lives - while too many [men](#) suffer impotence, incontinence, heart attacks, occasionally even death from treatment of tiny tumors that never would have killed them.

The guideline isn't a mandate. The task force stresses that men who want a [PSA test](#) still can get one, but only after the doctor explains the uncertainties. That's in part because the panel found PSA testing hasn't been studied adequately in [black men](#) and those with [prostate cancer](#) in the family, who are at highest risk of the disease.

The Obama administration said Monday that Medicare will continue to pay for PSA screenings, a simple [blood test](#). Other insurers tend to follow Medicare's lead.

"This is important information for the public and men to have, and they should talk with their doctors about the risks and benefits of [prostate cancer screening](#) and make the decision that's best for them," said Mark Weber, a spokesman for the Department of Health and Human Services.

The task force advice goes a step further than major health groups including the [American Cancer Society](#), which has long urged that men decide the issue for themselves after being told of PSA's pros and cons. But it's not likely to end an annual ritual for many men 50 and older. After all, the same task force has long urged men over 75 to skip [PSA screening](#), and research suggests almost half of them still get tested.

The controversy will end only with development of better tests - to finally tell which men's tumors really will threaten their lives, and who will die with prostate cancer rather than from it, said Dr. Virginia Moyer of the Baylor College of Medicine, who heads the task force.

"We have been told for decades to be terrified of cancer and that the only hope is early detection and treatment," she said. The reality: "You don't need to detect all cancers."

"We don't want this to be the answer," Moyer added. "We want to screen for the ones that are going to be aggressive, manage those early - and leave everyone else alone."

In an editorial published with the guideline in *Annals of Internal Medicine*, some urologists argue the panel underestimated PSA's value and overestimated its harms.

"What PSA screening offers the men is a substantial opportunity to avoid dying a particularly unpleasant death from prostate cancer," said editorial co-author Dr. William Catalona of Northwestern University, who pioneered the testing.

He spoke Monday from a meeting of the American Urological Association, where doctors debated the guideline's impact. The urology association advises that men be informed of the potential risks and benefits before screening.

But Dr. Otis Brawley, the American Cancer Society's chief medical officer, welcomed the task force's recommendation. He hoped it would help deter mass screenings, where men are given free PSAs at shopping malls and sports arenas without being told of the controversy, screenings that Brawley calls big business when health centers profit from the follow-up care.

"The question is, are we actually curing anybody who needs to be cured right now?" Brawley asked.

Too much PSA, or prostate-specific antigen, in the blood only sometimes signals prostate cancer is brewing. It also can mean a benign enlarged prostate or an infection. Only a biopsy can tell. Most men will get prostate cancer if they live long enough. Some 240,000 U.S. men a year are diagnosed with it, most with slow-growing tumors that carry a very low risk of morphing into the kind that can kill.

To evaluate whether routine screening saves lives, the task force analyzed previous research, focusing in particular on two huge studies in the U.S. and Europe. The panel's conclusion:

- Without screening, about 5 in every 1,000 men die of prostate cancer over 10 years. The European study found PSA testing might prevent one of those deaths, while the U.S. study found no difference.

- Of every 1,000 men screened, two will have a [heart attack](#) or stroke from resulting cancer treatment, and 30 to 40 will experience treatment-caused impotence or incontinence.

- Of every 3,000 men screened, one will die from complications of surgery.

Both the U.S. and European studies have flaws, and task force critics

argue over which are most believable. And while U.S. death rates from prostate cancer have dropped over 20 years, the cancer society's Brawley says the drop began before PSA testing became widespread. Moreover, the risk of death is the same in Europe and the U.S. even though many more American men are screened, diagnosed and treated, he said.

"We need to do a better job of using PSA wisely," said Dr. Scott Eggener, a University of Chicago prostate cancer specialist who was disappointed the task force went so far. "Most people would agree that a well-informed, young, healthy patient should have the opportunity to talk about it with their physician."

But he's studying a way beyond the screen-or-not controversy: Having men with small, low-risk tumors postpone treatment in favor of "active surveillance," keeping close watch on their tumors and treating only if they grow. More than 100,000 men a year are candidates, concluded a recent meeting at the National Institutes of Health.

That approach could "maximize the benefits of screening," Eggener said.

More information: Task force information:

<http://www.uspreventiveservicestaskforce.org/recommendations.htm>

Journal's patient summary: <http://bit.ly/LbhSxH>

©2012 The Associated Press. All rights reserved. This material may not be published, broadcast, rewritten or redistributed.

Citation: Final advice: Panel against routine prostate test (2012, May 21) retrieved 6 May 2024 from <https://medicalxpress.com/news/2012-05-advice-panel-routine-prostate.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.