

## A new clue to predicting pre-eclampsia

May 9 2012



(L-R) Dr David Eviston, new mother Kristy Herd Hayley Herd and Professor Ralph Nanan.

(Medical Xpress) -- An indication of whether a mother will develop preeclampsia, the most common and severe pregnancy-related disease, has been identified by a University of Sydney study.

As reported in The Sydney Morning Herald today the findings, published in the latest edition of the <u>Journal of Reproductive Immunology</u>, could allow the early detection of pre-eclampsia, which currently cannot be diagnosed by symptoms before the disease occurs.

The research also suggests the womb may have a lasting impact on a child's immune system.

"Pre-eclampsia affects an estimated 5000 to 10,000 women in Australia every year," said Professor Ralph Nanan, senior author of the study,



from Sydney Medical School Nepean.

It develops in mothers out of the blue, usually in the last three months of pregnancy, causing <u>high blood pressure</u>, kidney and <u>liver damage</u> and severe blood changes. Delivering the baby as soon as possible is the only way to stop it."

In pre-eclampsia the mother's immune system appears to attack the fetus.

"Our study looked at the thymus of the fetus, a structure which sits behind the baby's <u>breastbone</u> and is known as the 'cradle' of an important set of <u>white blood cells</u> called thymus-derived lymphocytes or <u>T cells</u>," said Professor Nanan.

No previous study has looked at the effect of the disease on the fetal <u>organ systems</u>.

"Surprisingly we found the thymus of babies whose mother developed pre-eclampsia was significantly smaller than in babies of healthy pregnant women."

What further surprised the researchers was that these changes were obvious in mid-pregnancy, long before the mother developed any signs of pre-eclampsia.

"This is a very interesting finding as the thymus plays a central role in shaping the child's immune system and protecting it against the development of allergies, autoimmune disease and cancers later in life," Professor Nanan said.

The group is now conducting a prospective study with over 1200 pregnant women to confirm the findings with the long-term prospect of



developing a test for pre-eclampsia. It is also conducting studies which aim to describe the short and long-term effects that early thymus changes have on the child's immune system and on the development of immune diseases.

The study was conducted by David Eviston, Ann Quinton and a team of researchers from Sydney Medical School Nepean.

Provided by University of Sydney

Citation: A new clue to predicting pre-eclampsia (2012, May 9) retrieved 26 April 2024 from <u>https://medicalxpress.com/news/2012-05-clue-pre-eclampsia.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.