

Income inequality leads to more US deaths, study finds

May 8 2012, by Jeff Grabmeier

A new study provides the best evidence to date that higher levels of income inequality in the United States actually lead to more deaths in the country over a period of years.

The findings suggest that income inequality at any one point doesn't work instantaneously - it begins increasing mortality rates 5 years later, and its influence peaks after 7 years, before fading after 12 years.

"This finding is striking and it supports the argument that income inequality is a public health concern," said Hui Zheng, author of the study and assistant professor of sociology at Ohio State University.

The study appears online in the journal <u>Social Science and Medicine</u> and will be published in a future print edition.

Many other studies have examined the impact of income inequality on mortality and have come up with mixed results, according to Zheng. But he thinks that this study overcomes problems in previous research by using a different data structure and <u>statistical model</u> (called a discrete-time hazard model).

Zheng used data from the U.S. National <u>Health Interview Survey</u> from 1986 to 2004 with mortality follow-up data from 1986-2006. His final sample included more than 700,000 people aged 30 and up.

The study measured income inequality using three different methods,



including the most commonly used metric - the Gini coefficient, calculated by the U.S. <u>Census Bureau</u>. All three methods resulted in similar findings.

The Gini coefficient ranges in value from 0 (indicating complete equality, with everyone earning the same income) to 1 (complete inequality, with one person earning all income).

The Gini coefficient has been steadily rising in the United States in recent decades, from .403 in 1980 to .469 in 2010.

In this study, Zheng found that a 0.01 rise in the Gini coefficient increases the cumulative odds of death by 122 percent in the following 12 years. This is after taking into account a wide variety of factors that may also influence mortality, including a person's age, gender, race, marital status, education, work status and family income.

"Income inequality has a substantial effect on mortality," he said.

But if income inequality does indeed affect mortality rates, why have other studies found mixed results? Zheng reviewed 79 previous studies to look for the reasons. The 11 best studies looked at income inequality at a particular point in time to see how it affected mortality rates at a specified time later.

"But current mortality isn't just affected by income inequality at one time, say 10 years ago. It is also affected by income inequality 9 years ago, and 11 years ago, and the current level of inequality, and so on," he said.

In this study, Zheng was able to look at deaths in a particular year and control for income inequality for each of up to 21 years preceding the death.



"For the first time, we can clearly capture the long-term effect of income inequality on health," he said. "Previous studies are likely to miss the effect if the mortality follow-up period is too short for income inequality to exert its impact or too long for income inequality to maintain its influence."

Other scholars have hypothesized why income inequality may lead to higher death rates. One reason may be that, in countries with rising income inequality, the interests of the wealthy tend to diverge from the rest of society. The wealthiest people may push government for more services for themselves, rather than invest in public goods like education or affordable medical services - services that can affect health for the majority of people.

In addition, inequality reduces social cohesion and trust, which studies suggest is important to individual health.

Finally, inequality may create a culture of upward comparison, where many people see the lifestyles of the rich and feel they can't live up to expectations. That can lead to negative views of themselves, frustration and depression, which have been linked to sickness and mortality.

"None of these negative factors caused by income inequality will have an immediate effect on chronic illness and mortality," Zheng said.

"But over time they take a toll on health, which can eventually lead to sickness and death. That's why this study found that it takes 5 years for the effects of income inequality to appear."

These results also support findings from a 2009 study by Zheng that examined how income inequality affected Americans' self-rated health. That study found that the dramatic increase in income inequality from 1972 to 2004 increased the odds of worse self-rated health by 9.4



percent. That study only looked at the instantaneous impact on self-rated health. The impact should be even larger if it had taken into account the long term impact, he said.

"The evidence is growing clearer that <u>income inequality</u> has a long-term detrimental impact on individual health and <u>mortality</u>," he said.

Provided by The Ohio State University

Citation: Income inequality leads to more US deaths, study finds (2012, May 8) retrieved 1 May 2024 from https://medicalxpress.com/news/2012-05-income-inequality-deaths.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.