

Exercise, even mild physical activity, may reduce breast cancer risk

June 25 2012

A new analysis done by University of North Carolina at Chapel Hill researchers has found that physical activity – either mild or intense and before or after menopause – may reduce breast cancer risk, but substantial weight gain may negate these benefits.

Published early online in *Cancer*, a peer-reviewed journal of the American Cancer Society, the findings indicate that women can reduce their [breast cancer](#) risk by exercising and maintaining their weight.

While studies have shown that [physical activity](#) reduces breast [cancer risk](#), many questions remain. For example, how often, how long and how intense does physical activity have to be to provide benefits? Also, do women with all body types experience a reduced risk when they [exercise](#), and does exercise reduce the risk of all types of breast cancer?

To investigate, Lauren McCullough, a doctoral candidate at the UNC Gillings School of Global Public Health, and her colleagues looked for a link between recreational physical activity, done at different time points in life, and the risk of developing breast cancer.

The study included 1,504 women with breast cancer (233 noninvasive and 1,271 invasive) and 1,555 women without breast cancer who were 20 to 98 years old and were part of the Long Island Breast Cancer Study Project, an investigation of possible environmental causes of breast cancer.

Women who exercised either during their reproductive or postmenopausal years had a reduced risk of developing breast cancer. Women who exercised 10 to 19 hours per week experienced the greatest benefit with an approximate 30 percent reduced risk. Risk reductions were observed at all levels of intensity, and exercise seemed to reduce the risk of hormone receptor positive breast cancers, the most commonly diagnosed tumor type among American women.

"The observation of a reduced risk of breast cancer for women who engaged in exercise after menopause is particularly encouraging given the late age of onset for breast cancer," McCullough said.

When the researchers looked at the joint effects of physical activity, [weight gain](#) and body size, they found that even active women who gained a significant amount of weight – particularly after menopause – had an increased risk of developing breast cancer, indicating that weight gain can eliminate the beneficial effects of exercise on breast cancer risk.

More information: [onlinelibrary.wiley.com/journal/1002/\(ISSN\)1097-0142](https://onlinelibrary.wiley.com/journal/1002/(ISSN)1097-0142)

Provided by University of North Carolina at Chapel Hill School of Medicine

Citation: Exercise, even mild physical activity, may reduce breast cancer risk (2012, June 25) retrieved 2 May 2024 from <https://medicalxpress.com/news/2012-06-mild-physical-breast-cancer.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
