

# New peri-op approach accurately IDs melanoma in nail matrix

June 14 2012

---



Intraoperative reflectance confocal microscopy can be used to diagnose melanonychia striata in the nail matrix, according to a study published online June 7 in the *British Journal of Dermatology*.

(HealthDay) -- Intraoperative reflectance confocal microscopy (RCM) can be used to diagnose melanonychia striata in the nail matrix, according to a study published online June 7 in the *British Journal of Dermatology*.

Sébastien Debarbieux, M.D., of the Centre Hospitalier Lyon Sud in Pierre Bénite, France, and colleagues assessed the feasibility of intraoperative [diagnosis](#) of melanonychia striata in a series of nine patients who underwent a matricial biopsy for an acquired melanonychia (one benign lentigo, eight melanomas). RCM examination was performed in vivo and/or ex vivo.

The researchers found that confocal and histopathological features correlated well. Confocal features were used for unequivocal intraoperative diagnosis of seven of the [melanoma](#) cases, and RCM correctly classified the lentigo as benign. RCM did not provide a definite classification for the last lesion, which corresponded histopathologically to an early melanoma.

"Intraoperative RCM examination of the nail matrix is an efficient diagnostic approach of melanonychia striata that permits an extemporaneous diagnosis of malignancy and therefore a one-step surgical treatment of in situ or minimally invasive melanoma, reducing dramatically the duration of postoperative disability," the authors write.

**More information:** [Abstract](#)  
[Full Text \(subscription or payment may be required\)](#)

Copyright © 2012 [HealthDay](#). All rights reserved.

Citation: New peri-op approach accurately IDs melanoma in nail matrix (2012, June 14)  
retrieved 24 April 2024 from  
<https://medicalxpress.com/news/2012-06-peri-op-approach-accurately-ids-melanoma.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--