

Low-dose duloxetine deemed safe for urinary incontinence

July 27 2012



Duloxetine appears safe for the routine clinical care of women with stress urinary incontinence, according to a study published online July 23 in the *British Journal of Clinical Pharmacology*.

(HealthDay) -- Duloxetine appears safe for the routine clinical care of women with stress urinary incontinence (SUI), according to a study published online July 23 in the *British Journal of Clinical Pharmacology*.

Martin C. Michel, M.D., from the Johannes Gutenberg University in Mainz, Germany, and colleagues conducted an observational study involving 6,854 patients seen by urologists and gynecologists and 5,879 patients seen by <u>primary care physicians</u>; all patients were newly started on treatment for moderate-to-severe symptoms of <u>stress urinary incontinence</u>. <u>Study participants</u> were treated in a parallel 12-week (urologist and gynecologist patients) or 24-week (primary care physician) design and received duloxetine or other conservative



treatment.

The researchers found that, for most patients, duloxetine doses were lower than recommended. The qualitative spectrum of adverse events with duloxetine was similar to that seen in controlled studies, but the frequency was lower than in controlled studies (15.9 and 9.1 percent in the 12- and 24-week treatment groups, respectively). Factors that correlated with increased adverse event risk included investigator specialization (gynecologist versus urologist and primary care physician), initial duloxetine dose (80 versus 20 mg/d), and use of any concurrent medication. A positive screen for depressive disorder was very common in the 24-week study, but there were no attempts of suicide reported in either study.

"In conclusion, our observational study with a large number of patients and large overall duloxetine exposure in terms of patient years confirmed the qualitative pattern of adverse events reported from controlled studies but with a much lower overall incidence," the authors write. "Moreover, we did not detect any rare, previously unreported adverse events."

Several authors disclosed financial relationships with pharmaceutical companies, including Eli Lilly, which funded the study and manufactures duloxetine.

More information: Abstract

Full Text

Copyright © 2012 HealthDay. All rights reserved.

Citation: Low-dose duloxetine deemed safe for urinary incontinence (2012, July 27) retrieved 20 April 2024 from



https://medicalxpress.com/news/2012-07-low-dose-duloxetine-deemed-safe-urinary.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.