

Menopausal hormone therapy associated with increased blood pressure in new study

July 11 2012

Menopausal hormone therapy use is associated with higher odds of high blood pressure, according to research published July 11 in the open access journal *PLoS ONE*. Longer hormone use was associated with further increased odds of high blood pressure, although this association decreased with subjects' ages.

The authors of the study, led by Joanne Lind of the University of Western Sydney, included 43,405 postmenopausal women in their study to identify the association.

As Dr. Lind explains, the study shows that "longer use of menopausal hormone therapy is associated with having high blood pressure. It is therefore important that high blood pressure be conveyed as a health risk for women considering using menopausal hormone therapy."

The results of the study may be taken into account when women are deciding whether, and for how long, menopausal hormone therapy is right for them.

More information: Chiu CL, Lujic S, Thornton C, O'Loughlin A, Makris A, et al. (2012) Menopausal Hormone Therapy Is Associated with Having High Blood Pressure in Postmenopausal Women: Observational Cohort Study. *PLoS ONE* 7(7): e40260. doi:10.1371/journal.pone.0040260



Provided by Public Library of Science

Citation: Menopausal hormone therapy associated with increased blood pressure in new study (2012, July 11) retrieved 10 April 2024 from https://medicalxpress.com/news/2012-07-menopausal-hormone-therapy-blood-pressure.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.