

# Psychological abuse puts children at risk

July 30 2012

---

Child abuse experts say psychological abuse can be as damaging to a young child's physical, mental and emotional health as a slap, punch or kick.

While difficult to pinpoint, it may be the most challenging and prevalent form of [child abuse](#) and neglect, experts say in an American Academy of Pediatrics (AAP) position statement on psychological maltreatment in the August issue of the journal *Pediatrics*.

[Psychological abuse](#) includes acts such as belittling, denigrating, terrorizing, exploiting, emotional unresponsiveness, or corrupting a child to the point a child's well-being is at risk, said Dr. Harriet MacMillan, a professor in the departments of psychiatry and behavioural neurosciences and pediatrics of McMaster University's Michael G. [DeGroot](#)e School of Medicine and the Offord Centre for Child Studies. One of three authors of the position statement, she holds the David R. (Dan) Offord Chair in Child Studies at McMaster.

"We are talking about extremes and the likelihood of harm, or risk of harm, resulting from the kinds of behavior that make a child feel worthless, unloved or unwanted," she said, giving the example of a mother leaving her infant alone in a crib all day or a father involving his teenager in his drug habit.

A parent raising their voice to a strident pitch after asking a child for the eighth time to put on their running shoes is not psychological abuse, MacMillan said. "But, yelling at a child every day and giving the message

that the child is a terrible person, and that the parent regrets bringing the child into this world, is an example of a potentially very harmful form of interaction."

Psychological abuse was described in the scientific literature more than 25 years ago, but it has been under-recognized and under-reported, MacMillan said, adding that its effects "can be as harmful as other types of maltreatment."

The report says that because psychological maltreatment interferes with a child's development path, the abuse has been linked with disorders of attachment, developmental and educational problems, socialization problems and disruptive behaviour.

"The effects of psychological maltreatment during the first three years of life can be particularly profound."

This form of mistreatment can occur in many types of families, but is more common in homes with multiple stresses, including family conflict, mental health issues, physical violence, depression or substance abuse.

Although there are few studies reporting the prevalence of psychological abuse, the position statement says large population-based, self-report studies in Britain and the United States found approximately eight-to-nine per cent of women and four per cent of men reported exposure to severe psychological abuse during childhood. The statement says pediatricians need to be alert to the possibility of psychological abuse even though there is little evidence on potential strategies that might help. It suggests collaboration among pediatric, psychiatric and child protective service professionals is essential for helping the child at risk. Funders for the paper's development included the Family Violence Prevention Unit of the Public Health Agency of Canada.

Along with MacMillan, the statement was prepared by Indiana pediatrician Dr. Roberta Hibbard, an expert on child abuse and neglect; Jane Barlow, professor of Public Health in the Early Years at the University of Warwick; as well as the Committee on Child Abuse and Neglect and the American Academy of Child and Adolescent Psychiatry, Child Maltreatment and Violence Committee.

Provided by McMaster University

Citation: Psychological abuse puts children at risk (2012, July 30) retrieved 23 April 2024 from <https://medicalxpress.com/news/2012-07-psychological-abuse-children.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.