

What happens when we sunburn: Researchers describe inflammatory mechanism for first time

July 8 2012



A photomicrograph of superficial keratinocytes or skin cells. Credit: Thomas Deerinck, National Center for Microscopy and Imaging Research, UC San Diego.

The biological mechanism of sunburn – the reddish, painful, protective immune response from ultraviolet (UV) radiation – is a consequence of RNA damage to skin cells, report researchers at the University of California, San Diego School of Medicine and elsewhere in the July 8, 2012 Advance Online Publication of *Nature Medicine*.

The findings open the way to perhaps eventually blocking the inflammatory [process](#), the scientists said, and have implications for a range of medical conditions and treatments.

"For example, diseases like psoriasis are treated by UV light, but a big side effect is that this treatment increases the risk of [skin](#) cancer," said principal investigator Richard L. Gallo, MD, PhD, professor of medicine at UC San Diego School of Medicine and Veterans Affairs San Diego Healthcare System. "Our discovery suggests a way to get the beneficial effects of UV therapy without actually exposing our patients to the harmful UV light. Also, some people have excess sensitivity to UV light, patients with lupus, for example. We are exploring if we can help them by blocking the pathway we discovered."

Using both human skin [cells](#) and a mouse model, Gallo, first author Jamie J. Bernard, a post-doctoral researcher, and colleagues found that UVB radiation fractures and tangles elements of non-coding micro-[RNA](#) – a special type of RNA inside the cell that does not directly make proteins. Irradiated cells release this altered RNA, provoking healthy, neighboring cells to start a process that results in an inflammatory response intended to remove sun-damaged cells.

We see and feel the process as sunburn.

"The inflammatory response is important to start the process of healing after cell death," said Gallo. "We also believe the inflammatory process may clean up cells with genetic damage before they can become cancer. Of course, this process is imperfect and with more UV exposure, there is more chance of cells becoming cancerous."

Gallo said it's still not known how gender, skin pigmentation and individual genetics may affect the mechanism of sunburn. "Genetics is closely linked to the ability to defend against UV damage and develop skin cancers," he said. "We know in our mouse genetic models that specific genes will change how the mice get [sunburn](#). Humans have similar genes, but it is not known if people have mutations in these genes that affect their sun response."

Provided by University of California - San Diego

Citation: What happens when we sunburn: Researchers describe inflammatory mechanism for first time (2012, July 8) retrieved 20 March 2024 from <https://medicalxpress.com/news/2012-07-sunburn-inflammatory-mechanism.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.