

Fruit flies on methamphetamine die largely as a result of anorexia

August 1 2012



University of Illinois entomology professor Barry Pittendrigh (left), postdoctoral researcher Kent Walters and their colleagues found that meth exposure induces anorexia in fruit flies. Credit: L. Brian Stauffer

A new study finds that fruit flies exposed to methamphetamine drastically reduce their food intake and increase their physical activity, just as humans do. The study, which tracked metabolic and behavioral changes in fruit flies on meth, indicates that starvation is a primary driver of methamphetamine-related death in the insects.

The new [findings](#) are described in *The Journal of Toxicological Sciences*.

The abuse of methamphetamine can have significant harmful side

effects in humans. It burdens the body with toxic metabolic [byproducts](#) and weakens the heart, muscles and bones. It alters [energy metabolism](#) in the brain and kills [brain cells](#).

Previous studies have shown that the fruit fly *Drosophila melanogaster* is a good [model organism](#) for studying the effects of methamphetamine on the body and brain. Researchers have found that meth exposure has similar toxicological effects in fruit flies and in humans and other mammals.

Some studies found that supplementing the fly's diet with added glucose or other metabolic precursors slowed the damaging effects of exposure to methamphetamine, suggesting that meth has a profoundly negative effect on metabolism. Human meth users are known to crave [sugary drinks](#), an indication that their [sugar metabolism](#), too, is altered by methamphetamine use.

"But previous research has not spelled out exactly how methamphetamine use affects energy metabolism," said University of Illinois entomology professor Barry Pittendrigh, who led the new study with postdoctoral researcher Kent Walters. "Either it alters the expression of metabolic genes and/or the function of proteins, or it changes behaviors related to feeding and activity."

To test these competing hypotheses, the researchers monitored the fruit flies' energy reserves and other byproducts of metabolism in response to methexposure – with and without the addition of dietary glucose. They also tracked how meth affected the flies' feeding behavior, activity levels and respiration rates.

"We found that methamphetamine in the diet increased the flies' locomotor activity two-fold and decreased their food consumption by 60 to 80 percent," Walters said. Levels of triglycerides and glycogen, the

two predominant energy storage molecules in animals, decreased steadily with meth exposure over a 48-hour period, suggesting that meth induced a negative caloric balance.

"This is very similar to what has been observed in humans for whom amphetamines can cause increased physical activity and decreased appetite," Walters said.

The flies' metabolic rate also declined in response to meth exposure, the opposite of what would be expected if metabolic changes were driving the depletion of triglycerides and glycogen.

Adding glucose to the diet slowed the rate of decline and death in meth-fed flies, Walters said.

"While [methamphetamine](#) exposure has a lot of other toxic effects that also undermine an animal's health, we show that meth exposure leads to anorexia and the resulting caloric deficit exhausts the animal's metabolic reserves," he said. "This is likely a primary factor in meth-induced mortality."

The new findings further support the usefulness of the fruit fly as a model system to study the effects of methamphetamines, Pittendrigh said.

More information: The paper, "Methamphetamine causes anorexia in *Drosophila melanogaster*, exhausting metabolic reserves and contributing to mortality," is available [online](#).

Provided by University of Illinois at Urbana-Champaign

Citation: Fruit flies on methamphetamine die largely as a result of anorexia (2012, August 1)
retrieved 10 April 2024 from
<https://medicalxpress.com/news/2012-08-fruit-flies-methamphetamine-die-largely.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.