

## UCLA uses new device to replace aortic valve in patients who can't have open-heart surgery

August 16 2012, By Rachel Champeau



Edwards SAPIEN Transcatheter Heart Valve



(Medical Xpress) -- UCLA has performed its first transcatheter aortic valve replacement (TAVR), using a new device approved by the U.S. Food and Drug Administration to replace an aortic valve in a patient who was not a candidate for open-heart surgery. The procedure took place on Aug. 9.

Ronald Reagan UCLA Medical Center is part of a growing trend of hospitals nationwide offering this new minimally invasive procedure.

As the U.S. population ages, an increasing number of patients will develop aortic stenosis, a narrowing of the heart's <u>aortic valve</u> caused by calcium deposits, which impedes blood flow, causing the heart to work harder to pump blood to the body and placing patients at higher risk of heart failure or death.

Although minimally invasive surgical procedures have been used on the aortic valve in the past, these operations relied on incisions in the chest wall and required cardiopulmonary bypass. The TAVR allows doctors for the first time to replace the aortic valce without either of these components of conventional surgery.

The aortic valve's leaflets act as sentries to help blood flow from the heart into the aorta while preventing blood from leaking backward into the heart. When the leaflets aren't doing their job properly due to aortic stenosis, the heart needs to generate higher pressure to push the blood through the valve into the aorta. Patients with aortic stenosis have a number of symptoms, including chest pressure or angina, shortness of breath, edema, and fainting.

Many patients are not good candidates for conventional valve replacement because they suffer from a number of other health issues, and it is estimated that 40 percent of patients do not undergo aortic valve relacement because they are considered inoperable.



The new device is deployed through a catheter — a long tube that is advanced through an artery in the groin up to the heart. Once in place, a balloon at the end of the catheter is inflated, opening the new valve, which starts working instantly.

TAVR is the latest in a trend of major surgical procedures now being performed without invasive surgery at UCLA. The team's cardiologists, heart surgeons, anesthesiologists, nurses and technologists work closely together to address the needs of each individual patient.

"The new valve procedure offers hope to patients who previously had few options," said Dr. Jonathan Tobis, a clinical professor of cardiology and director of interventional cardiology for the David Geffen School of Medicine at UCLA and the UCLA Health System. "The initial roll-out will include patients who are not candidates for open surgery. The FDA is considering this procedure for high-risk patients who are also surgical candidates, so we look forward to offering TAVR to even more patients in the near future."

Studies have shown the new valve procedure dramatically improves quality of life and survival rates. A recent randomized clinical study showed a significantly higher one-year survival rate among patients treated with the new valve, compared with those who received medical therapy.

"We expect to see substantial quality-of-life gains from this new procedure," said Dr. Richard. J. Shemin, chief of cardiothoracic surgery at the Geffen School of Medicine and the UCLA Health System. "Many <u>patients</u> who were formerly bedridden and hopeless will be able to resume a more normal life with this novel new therapy."

**More information:** For more information about the new TAVR procedure at UCLA, please visit <u>www.uclahealth.org/TAVR</u> or contact



310-206-8232.

## Provided by University of California, Los Angeles

Citation: UCLA uses new device to replace aortic valve in patients who can't have open-heart surgery (2012, August 16) retrieved 25 April 2024 from https://medicalxpress.com/news/2012-08-ucla-device-aortic-valve-patients.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.