

Daily vibration may combat prediabetes in youth

October 19 2012

Daily sessions of whole-body vibration may combat prediabetes in adolescents, dramatically reducing inflammation, average blood glucose levels and symptoms such as frequent urination, researchers report.

In mice that mimic over-eating adolescents headed toward diabetes, 20 minutes of daily [vibration](#) for eight weeks restored a healthy balance of key pro- and anti-[inflammatory mediators](#) and was better than [prescription drugs](#) at reducing levels of [hemoglobin A1c](#), the most accurate indicator of average [blood glucose levels](#), said Dr. Jack C. Yu, Chief of the Section of [Plastic and Reconstructive Surgery](#) at the Medical College of Georgia at Georgia Health Sciences University.

In normal mice, just four days of vibration also dramatically improved the ability to manage a huge glucose surge similar to that following a high-calorie, high-fat meal. "It's a very good sign," said Yu. "If you eat a pound of sugar, your blood glucose will go up. If you are prediabetic, it will go up even more and take longer to come down."

Interestingly, vibration did not produce similar changes in older, normal mice, Yu told researchers at the Third World Congress of Plastic Surgeons of Chinese Descent.

"This is our model: the average American teenager who eats too much," said Yu, who regularly operates on obese and often prediabetic adolescent males who want their abnormally large breasts reduced. "The only way to burn fat is to exercise. We shake the bone for you rather

than the body's muscle shaking it. This is a highly efficient way to fool the bone into thinking we are exercising."

It's also one way to deal with the reality that many individuals simply will not exercise regularly, he said.

Yu, also a craniofacial surgeon who studies [bone formation](#), said while it's unclear exactly how vibration produces these desirable results, it seems linked to the impact of movement on [bone health](#). Vibration mimics the motion bones experience during exercise when muscles are doing the work. The slight bending and unbending of bone triggers remodeling so it can stay strong. One result is production of osteocalcin, a protein essential to bone building, which also signals the pancreas to get ready for food. While this prehistoric relationship is tied to the hunt for food, it doesn't work so well in 21st century living where folks are moving too little and eating too much, Yu said. The constant demand can produce resistance to the insulin required to use glucose as energy.

Additionally, the body tends to hold onto fat for energy and survival, which researchers think is key to the chronic inflammation found in obesity-related type 2 diabetes. The fat itself produces inflammatory factors; the immune system also can misidentify fat as an infection, resulting in even more inflammation but, unfortunately, not eliminating the fat.

The bottom line is an unbalanced immune response: too many aggressors like the immune system SWAT team member Th17 and too few calming regulating factors like FoxP3. Researchers looked in the mouse blood and found vibration produced a 125-fold increase in immune system homeostasis and similar results in the kidney. This included positive movement in other players as well, such as a five-fold reduction in what Yu calls the "nuclear fuel," gammaH2AX, an indicator that something is attacking the body's DNA.

The animal model researchers used has a defect in the receptor for leptin, the satiety hormone, so the mice uncharacteristically overeat. Vibration also significantly reduced the mouse's diabetic symptoms of excessive thirst and diluted urine, resulting from excessive urination. The mice also seemed to like it, Yu said.

Next steps include learning more about how vibration produces such desirable results and large-scale clinical studies to see if they hold true in adolescents.

Prediabetics can avoid type 2 diabetes by making healthy diet changes and increasing physical activity, according to the American Diabetes Association.

Vibration technology was originally developed by the former Soviet Union to try to prevent muscle and bone wasting in cosmonauts. MCG researchers reported in the journal *Bone* in 2010 that daily [whole body vibration](#) may help minimize age-related bone density loss.

Yu and Biomedical Engineer Karl H. Wenger developed the whole-body vibrator used for the animal studies. Study coauthors include Wenger as well as GHSU's Drs. Babak Baban, Sun Hsieh, Mahmood Mozaffari and Mohamad Masoumy.

Provided by Georgia Health Sciences University

Citation: Daily vibration may combat prediabetes in youth (2012, October 19) retrieved 19 April 2024 from <https://medicalxpress.com/news/2012-10-daily-vibration-combat-prediabetes-youth.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--