

Edible seaweed provides an alternative protein source

October 15 2012



Teagasc researchers are looking to seaweed for proteins with health benefits for use as functional foods. Historically, edible seaweeds were consumed by coastal communities across the world and today seaweed is a habitual diet in many countries, particularly in Asia. Indeed, whole seaweeds have been successfully added to foods in recent times, ranging from sausages and cheese to pizza bases and frozen-meat products.

Source of protein

Researchers have previously shown that [protein](#)-rich red seaweeds such

as *Palmaria palmata* (common name Dulse) and *Porphyra* (common name Sleabhac or Laver) species may potentially be used in the development of low-cost, highly nutritive diets that may compete with current protein crop sources such as soya bean. For example, the [protein content](#) of Dulse varies from between 9-25% depending on the season of collection and harvesting. The highest percentage protein per gram of dried whole seaweed is normally found in *P. palmata* collected during the winter season (October – January). Valuable [amino acids](#) such as leucine, valine and methionine are well represented in Dulse. In *Porphyra* species, the amino acid profile is similar to those reported for leguminous plants such as peas or beans.

Health benefits of seaweed

Today, cardiovascular disease (CVD) accounts for more than 4.3 million deaths each year and [high blood pressure](#) is a main cause of CVD. In addition to its use as a protein source, the researchers have found that some of these seaweed proteins may have health benefits beyond those of basic [human nutrition](#) – for use in [functional foods](#).

Bioactive peptides are food-derived peptides that exert a physiological, 'hormone-like', beneficial health effect. Proteins and peptides from [food sources](#) such as dairy, eggs, meat and fish are well documented as agents capable of reducing high blood pressure and are thought to be able to prevent CVD.

ACE-I inhibitors are commonly used as therapy in reducing high [blood pressure](#). Food-derived peptides may act as inhibitors of important enzymes such as Angiotensin I converting enzyme (ACE-I) and renin.

The researchers found a renin-inhibitory peptide in the seaweed *Palmaria palmata*. This is significant as renin-inhibitory peptides have not been identified from seaweed species before.

These renin inhibitory peptides are currently being assessed in bread products for human consumption. Research work at Teagasc will also assess the effects of the *P. palmata* protein hydrolysates on the technical and sensory attributes of bakery products, in particular bread.

"Currently, analysis of a *P. palmata* bread product is underway and the effects of the hydrolysate on the moisture content, ash, crude fat, fibre and protein content have been assessed. The effects of the seaweed protein on the colour and texture profile of the bread are also being carried out," says researcher Dr Maria Hayes at Teagasc Food Research Centre, Ashtown.

"It is also possible that protein isolated from *P. palmata* as part of this study could be used for technical purposes in food manufacture, for example in the manufacture of reduced fat products," says Dr Hayes.

Provided by Teagasc Food Research Centre

Citation: Edible seaweed provides an alternative protein source (2012, October 15) retrieved 5 May 2024 from <https://medicalxpress.com/news/2012-10-edible-seaweed-alternative-protein-source.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--