

# Green tea found to reduce rate of some GI cancers

October 31 2012

---

Women who drink green tea may lower their risk of developing some digestive system cancers, especially cancers of the stomach/esophagus and colorectum, according to a study led by researchers from Vanderbilt-Ingram Cancer Center.

The study by lead author Sarah Nechuta, Ph.D., MPH, assistant professor of Medicine, was published online in advance of the Nov. 1 edition of the [American Journal of Clinical Nutrition](#). Wei Zheng, M.D., Ph.D., MPH, professor of Medicine, chief of the Division of Epidemiology and director of the Vanderbilt Epidemiology Center, was the principal investigator for the study.

To determine green tea's impact on [cancer risk](#), the investigators surveyed women enrolled in the Shanghai Women's Health Study, a population-based study of approximately 75,000 middle-aged and older Chinese women. During the initial interview participants were asked if they drank tea, the type of tea consumed and how much they consumed. Most of the Chinese women reported drinking primarily green tea.

The researchers found that regular [tea consumption](#), defined as tea consumption at least three times a week for more than six months, was associated with a 17 percent reduced risk of all [digestive cancers](#) combined. A further reduction in risk was found to be associated with an increased level of tea drinking. Specifically, those who consumed about two to three cups per day (at least 150 grams of tea per month) had a 21 percent reduced risk of digestive system cancers.

The trend toward fewer digestive cancers was strongest for stomach/esophageal and [colorectal cancers](#).

"For all digestive system cancers combined, the risk was reduced by 27 percent among women who had been drinking tea regularly for at least 20 years," said Nechuta. "For colorectal cancer, risk was reduced by 29 percent among the long-term tea drinkers. These results suggest long-term cumulative exposure may be particularly important."

Tea contains polyphenols or [natural chemicals](#) that include catechins like [EGCG](#) and ECG. Catechins have antioxidant properties and may inhibit cancer by reducing DNA damage and blocking tumor cell growth and invasion.

The researchers also asked about other lifestyle factors including the kinds of food eaten regularly, exercise habits, education level and occupation. Women who had ever smoked or who drank alcohol were excluded from the study.

Regular [tea drinkers](#) in the study were younger, had higher education, exercised more and consumed more fruits and vegetables. While the researchers adjusted for these factors, they could not rule out an effect from these and other unmeasured lifestyle habits.

The study was conducted in nonsmoking and nondrinking Chinese women to minimize the potential influence of these two risk factors on the results for tea consumption and digestive system cancer risk.

Provided by Vanderbilt University Medical Center

Citation: Green tea found to reduce rate of some GI cancers (2012, October 31) retrieved 26 April 2024 from <https://medicalxpress.com/news/2012-10-green-tea-gi-cancers.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.