

Men bearing brunt of worsening mental health in England since start of 2008 recession

October 17 2012

Men have borne the brunt of worsening mental health across the population of England since the start of the economic downturn in 2008, reveals research published in the online journal *BMJ Open*.

But unemployment and a falling household income don't seem to be the culprits, prompting the authors to suggest that it is the threat of losing their jobs that has affected men's mental health.

They base their findings on data taken from the national representative annual [Health Survey](#) for England for adults aged 25 to 64, between 1991 and 2010.

Response rates during this period varied from 85 per cent in 1991 to 64 per cent in 2008, and included just short of 107,000 people.

Respondents were asked about their employment status and [educational attainment](#), and those scoring 4 or more on the [General Health Questionnaire-12](#), which is used to gauge levels of [anxiety and depression](#), were deemed to have a high likelihood of [poor mental health](#).

The analysis showed that rates of poor mental health were highest between 1991 and 1993, when the UK was in recession, after which they fell steadily until 2004, when they started a gradual rise until 2008, at

which point they rose sharply.

In 2008, when the global [economic downturn](#) began, the prevalence of [mental ill health](#) was 13.7 per cent, rising to 16.4 per cent in 2009, falling back to 15.5 per cent in 2010.

Over most of the period under study, more women than men reported poor mental health. But during periods of recession the sharpest rises in the prevalence of mental ill health occurred among men.

In the early 1990s, the prevalence of mental ill health among men rose from 12.3 per cent in 1991 to 14.5 per cent in 1992.

A similar trend occurred in the 2008 economic downturn when the prevalence among men rose from 11.3 to 16.6 per cent among men in 2009; among women this rose from 16 to 16.2 per cent.

Factoring in age, indicated that the prevalence of poor mental health among men increased by 5.1 per cent in 2009 and by 3 per cent in 2010. There were no such significant increases among women.

But the study only examined changes in mental health up to 2010, and women may have been affected more severely after this time, particularly given subsequent changes in public sector employment, say the authors.

The prevalence of mental ill health, however, was not confined to those out of work; and taking account of employment status and educational attainment made no difference to the figures.

"The finding that mental health across the general population has deteriorated following the recession's onset, and that this association does not appear to be limited to those out of employment nor those

whose [household income](#) has declined, has important implications," say the authors.

They suggest that the reason for the gender differences in the impact of recession could be that men's mental health is more vulnerable to the fear of job loss.

"One potential explanation for our results would be that job insecurity during the current [recession](#) is responsible for the deterioration in mental health, with men's psychological health remaining more affected by economic fluctuations despite greater female labour market participation," they conclude.

More information: Trends in population mental health before and after the 2008 recession: a repeat cross-sectional analysis of the 1991-2010 Health Surveys of England, [doi 10.1136/bmjopen-2012-001790](#)

Provided by British Medical Journal

Citation: Men bearing brunt of worsening mental health in England since start of 2008 recession (2012, October 17) retrieved 4 May 2024 from <https://medicalxpress.com/news/2012-10-men-brunt-worsening-mental-health.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--