

## Metabolic patterns of propofol, sevoflurane differ in children

October 26 2012



For children undergoing routine anesthesia for medically indicated magnetic resonance imaging, the metabolic signature varies with use of sevoflurane and propofol, according to a study published in the November issue of *Anesthesiology*.

(HealthDay)—For children undergoing routine anesthesia for medically indicated magnetic resonance imaging (MRI), the metabolic signature varies with use of sevoflurane and propofol, according to a study published in the November issue of *Anesthesiology*.

Zvi Jacob, M.D., from Stony Brook University in New York, and colleagues used proton magnetic resonance spectroscopy to examine the metabolic consequences of general anesthesia in 59 children undergoing MRI with sevoflurane or propofol. The scans were acquired after about 60 minutes of anesthesia. Upon emergence from anesthesia, the children



were evaluated using the pediatric anesthesia emergence delirium scale.

The researchers found that the metabolic signature with sevoflurane anesthesia comprised higher concentrations of lactate and glucose compared with anesthesia using propofol. There was a significant and positive correlation between lactate and glucose with performance on emergence delirium scores, and a negative correlation for total creatine and the emergence delirium score.

"Our results demonstrating higher glucose and lactate with sevoflurane in the <a href="https://human.brain">human.brain</a> compared to propofol could reflect greater <a href="https://neuronal.activity">neuronal.activity</a> with sevoflurane resulting in enhanced glutamate-neurotransmitter cycling, increased glycolysis and lactate shuttling from astrocytes to neurons or mitochondrial dysfunction," the authors write. "Further, the association between emergence delirium and lactate suggests that anesthesia-induced enhanced cortical activity in the unconscious state may interfere with rapid return to 'coherent' brain connectivity patterns required for normal cognition upon emergence of anesthesia."

**More information:** Abstract

Full Text (subscription or payment may be required)

Copyright © 2012 HealthDay. All rights reserved.

Citation: Metabolic patterns of propofol, sevoflurane differ in children (2012, October 26) retrieved 10 April 2024 from

https://medicalxpress.com/news/2012-10-metabolic-patterns-propofol-sevoflurane-differ.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.