

US: Pharmacy's other drugs may be causing illness

October 15 2012, by Mike Stobbe

Two more drugs from a specialty pharmacy linked to a meningitis outbreak are now being investigated, U.S. health officials said, as they urged doctors to contact patients who got any kind of injection from the company.

The New England Compounding Center of Framingham, Massachusetts, has been under scrutiny since last month, when a rare fungal form of meningitis was linked to its steroid shots used mostly for back pain.

Monday's step by the Food and Drug Administration followed two developments. One was a report of a meningitis illness in a patient who got another type of steroid made by the company.

The agency also learned of two heart transplant patients who got fungal infections after being given a third product from the company during surgery.

The illnesses are under investigation, and it's very possible the heart patients were infected by another source, FDA officials cautioned. They did not say whether fungal meningitis was involved in the new report.

The current outbreak has sickened 214 people, including 15 who have died. For weeks, officials have been urging doctors to contact patients who got shots of the company's steroid methylprednisolone acetate, advise them about the risks of fungal infection, and urge them to take any meningitis symptoms seriously.

The steroid was recalled last month, and the company later shut down operations and recalled all the medicines it makes.

The FDA on Monday expanded its advice to doctors to contact all patients who got any injection made by the company, including steroids and drugs used in eye surgery as well as heart operations. The agency said it took the step "out of an abundance of caution" as it investigates the new reports involving the heart surgery drug and the second steroid, called triamcinolone acetonide.

Last week, federal health officials said 12,000 of the roughly 14,000 people who received steroid shots had been contacted. Nearly all the 214 illnesses are fungal meningitis; two people had joint infections.

Symptoms of meningitis include severe headache, nausea, dizziness and fever. The Centers for Disease Control said many of the cases have been mild, and some people had strokes. Symptoms have been appearing between one and four weeks after patients got the shots, but CDC officials on Thursday warned at least one illness occurred 42 days after a shot.

More information: New FDA advisory:
www.fda.gov/Drugs/DrugSafety/UCM322734.htm

Outbreak update: www.cdc.gov/HAI/outbreaks/meningitis.html

Copyright 2012 The Associated Press. All rights reserved. This material may not be published, broadcast, rewritten or redistributed.

Citation: US: Pharmacy's other drugs may be causing illness (2012, October 15) retrieved 24 April 2024 from <https://medicalxpress.com/news/2012-10-pharmacy-drugs-illness.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.