

Scientists harness immune system to prevent lymphoma relapse

October 18 2012

UK scientists hope that lymphoma patients could benefit from a new drug that triggers the cancer-fighting properties of the body's own immune system, after highly promising early laboratory results.

The University of Manchester researchers, who were funded by the charity Leukaemia & Lymphoma Research, have shown that, when used in conjunction with [radiotherapy](#), the new drug is potentially four times more likely to lead to long-term survival than radiotherapy alone.

Relapse is a common fate for many [lymphoma patients](#) and new treatments are desperately needed. The new research, which is published online in *Blood*, the Journal of the American Society of Hematology (ASH), shows that the chemical R848 can be used to prime the [immune system](#) to fight [cancer](#).

R848 is a chemical which signals to certain molecules known as receptors found on the surface of immune cells, triggering them into action. Receptors play a key role in the function of the immune cell by recognising harmful agents and instructing the cell to respond. It was shown that injections of R848 can generate a rapid expansion of specific anti-lymphoma immune cells known as 'killer T cells'.

Dr Simon Dovedi, of the University of Manchester's School of Cancer and Enabling Sciences, who led the research, said: "Excitingly we think that R848 could be capable of giving patients a protective immunological memory by generating lymphoma-specific anti-tumour

cells. This could be the key to ensuring long-term survival."

The Manchester team tested injections of R848, in combination with radiotherapy, in the laboratory on mice with lymphoma. It was found to have few side effects, with 100% of mice achieving long-term survival compared to just 28% of those mice which were treated with radiotherapy alone. In those mice that achieved long-term survival through treatment with R848 and radiotherapy, any re-introduction of cancer was completely rejected by the immune system in 75% of cases. These successful laboratory results mean that it could soon be used in early phase clinical trials for patients with lymphoma.

Professor Chris Bunce, Research Director of Leukaemia & Lymphoma Research, said: "While it is still early and this treatment has not yet been tested in humans, these results are hugely promising. One of the major obstacles to long-term successful treatment for many types of [lymphoma](#) has been relapse after initial successful treatment. [Treatment](#) with R848 can prime T cells to recognise various tumour-associated antigens, protecting patients from the return of the cancer."

More information: The report is published online in the journal *Blood*, the Journal of the American Society of Hematology (ASH), under the title 'Systemic delivery of a TLR7 agonist in combination with radiation primes durable anti-tumor immune responses in mouse models of lymphoma'.

Provided by University of Manchester

Citation: Scientists harness immune system to prevent lymphoma relapse (2012, October 18) retrieved 19 April 2024 from

<https://medicalxpress.com/news/2012-10-scientists-harness-immune-lymphoma-relapse.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.