


Compound found in rosemary protects against macular degeneration in laboratory model

November 27 2012



Left: This shows control cells exposed to hydrogen peroxide. Right: This shows cells treated with carnosic acid are protected from hydrogen peroxide. Live cells are stained green, dead cells are stained red. Credit: Sanford-Burnham Medical Research Institute

Herbs widely used throughout history in Asian and early European cultures have received renewed attention by Western medicine in recent years. Scientists are now isolating the active compounds in many medicinal herbs and documenting their antioxidant and anti-inflammatory activities. In a study published in the journal *Investigative Ophthalmology & Visual Science*, Stuart A. Lipton, M.D., Ph.D. and colleagues at Sanford-Burnham Medical Research Institute (Sanford-Burnham) report that carnosic acid, a component of the herb rosemary, promotes eye health.

Lipton's team found that carnosic acid protects retinas from degeneration and toxicity in cell culture and in rodent models of light-induced retinal damage. Their findings suggest that carnosic acid may have clinical applications for diseases affecting the outer retina, including age-related macular degeneration, the most common eye disease in the U.S.

Age-related macular degeneration

Age-related macular degeneration likely has many underlying causes. Yet previous studies suggest that the disease might be slowed or improved by chemicals that fight free radicals—reactive [compounds](#) related to oxygen and nitrogen that damage membranes and other cell processes.

Lipton's team first discovered a few years ago that carnosic acid fights off free radical damage in the brain. In their latest study, Lipton and colleagues, including Tayebbeh Rezaie, Ph.D. and Takumi Satoh, Ph.D., initially investigated carnosic acid's protective mechanism in laboratory [cultures](#) of retinal cells.

The researchers exposed the cells growing in the dish to hydrogen peroxide in order to induce oxidative stress, a factor thought to contribute to disease progression in eye conditions such as macular degeneration and retinitis pigmentosa. They found that cells treated with carnosic acid triggered antioxidant enzyme production in the cells, which in turn lowered levels of reactive oxygen and nitrogen species (cell-damaging free radicals and peroxides).

Rosemary's therapeutic potential

Lipton, Rezaie, Satoh and colleagues next tested carnosic acid in an

animal model of light-induced damage to photoreceptors—the part of the eye that converts light to electrical signals, enabling visual perception. As compared to the untreated group, rodents pre-treated with carnosic acid retained a thicker outer nuclear layer in the eye, indicating that their photoreceptors were protected. The carnosic acid-treated rodents also exhibited better electroretinogram activity, a measure of healthy photoreceptor function.

What's next for carnosic acid? "We're now developing improved derivatives of carnosic [acid](#) and related compounds to protect the retina and other brain areas from a number of degenerative conditions, including age-related macular degeneration and various forms of dementia," said Lipton, director of Sanford-Burnham's Del E. Webb Neuroscience, Aging, and Stem Cell Research Center and an active clinical neurologist.

Provided by Sanford-Burnham Medical Research Institute

Citation: Compound found in rosemary protects against macular degeneration in laboratory model (2012, November 27) retrieved 9 April 2024 from <https://medicalxpress.com/news/2012-11-compound-rosemary-macular-degeneration-laboratory.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--