

Higher pulse wave velocity seen in wellcontrolled diabetes

November 10 2012



Pulse wave velocity is higher among patients with well-controlled type 2 diabetes when compared to controls, and is associated with white matter lesions, according to a study published online Nov. 5 in *Diabetes Care*.

(HealthDay)—Pulse wave velocity is higher among patients with well-controlled type 2 diabetes when compared to controls, and is associated with white matter lesions, according to a study published online Nov. 5 in *Diabetes Care*.

Esben Laugesen, M.D., from Aarhus University Hospital in Noerrebrogade, Denmark, and colleagues measured arterial stiffness with carotid-femoral pulse wave velocity and cerebral white matter lesions by magnetic resonance imaging (qualitatively graded by the Breteler scale) in 89 patients diagnosed with type 2 diabetes in the past five years and 89 matched controls. The authors note that arterial stiffness is associated with cardiovascular events and white matter



lesions are associated with stroke.

The researchers found that the diabetes group had excellent glycemic control and had <u>lower blood pressure</u> and lower total cholesterol than controls. However, even after adjusting for confounding variables, including age, sex, diabetes, <u>body mass index</u>, 24-hour mean arterial blood pressure, and medications, they had significantly higher carotid-femoral pulse wave velocity, which was significantly associated with Breteler score and cerebral white matter lesion volume.

"Pulse wave velocity was higher among patients with well-controlled type 2 diabetes compared with controls and was independently associated with white matter lesions," Laugesen and colleagues conclude. "Pulsed wave velocity may represent a clinically relevant parameter in the evaluation of cerebrovascular disease risk in type 2 diabetes."

The study was partially funded by research grants from the <u>Novo</u> <u>Nordisk</u> Foundation.

More information: Abstract

Full Text (subscription or payment may be required)

Copyright © 2012 HealthDay. All rights reserved.

Citation: Higher pulse wave velocity seen in well-controlled diabetes (2012, November 10) retrieved 7 May 2024 from

https://medicalxpress.com/news/2012-11-higher-pulse-velocity-well-controlled-diabetes.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.