


## Musical duets lock brains as well as rhythms

## November 29 2012



Time-frequency diagrams of the grand average of the phase locking index, averaged across frontal electrodes for leaders and followers during preparatory tempo setting and around coordinated play onsets. Credit: Max Plank Institute, Sänger et al.

Researchers from the Max Planck Institute for Human Development in Berlin have shown that synchronization emerges between brains when making music together, and even when musicians play different voices. In a study published November 29th in *Frontiers in Neuroscience*, Johanna Sänger and her team used electrodes to record the brain waves of guitarists while they played different voices of the same duet. The results point to brain synchronicity that cannot be explained away by



similitudes in external stimulation but can be attributed to a more profound interpersonal coordination.

Scientists working with Ulman Lindenberger at the Max Planck Institute in Berlin already discovered synchronous <u>brain activity</u> between musicians playing the same piece in 2009. The current study goes one step further by examining the brain activity of guitar players performing a piece of music with two different parts. Their aim was to find out whether musicians' brains would synchronize if the two guitarists were not playing exactly the same notes, but instead played different voices of the same song.

To test their hypothesis, the psychologists arranged 32 experienced guitarists in duet pairs, and recorded electrical activity in different brain regions of each musician. They were then asked to play a sequence from the "Sonata in G Major" by Christian Gottlieb Scheidler a total of 60 times, and the duet partners were given slightly different tasks: each musician had to play a different voice, and one of the two was responsible for ensuring that they started at the same time and held the same tempo. Thus, one person took the lead and the other followed.

The duet's brain activities showed coordinated brain oscillations, even when playing different voices of the same duet. Called phase coherence, this <u>synchronous activity</u> suggests a direct <u>neural basis</u> for interpersonal coordination.

"When people coordinate their own actions, small networks between brain regions are formed. But we also observed similar network properties between the brains of the individual players, especially when mutual coordination is very important; for example at the joint onset of a piece of music," says Johanna Sänger. The difference between leader and follower was also reflected in the results of the measurement of electrical activity captured by electrodes: "In the player taking the lead,



the internal synchronization of an individual's brain waves was stronger and, importantly, was present already before the duet started to play," says Johanna Sänger. "This could be a reflection of the leading player's decision to begin playing at a certain moment in time," she added.

The current data indicate that synchronization between individuals occurs in <u>brain regions</u> associated with social cognition and music production. And such interbrain networks are expected to occur not only while performing music. "We think that different people's <u>brain waves</u> also synchronise when people mutually coordinate their actions in other ways, such as during sport, or when they communicate with one another," Sänger says.

**More information:** Johanna Sänger, Viktor Müller and Ulman Lindenberger, Intra- and interbrain synchronization and network properties when playing guitar in duets. *Frontiers in Human Neuroscience*, 2012, doi: 10.3389/fnhum.2012.00312

## Provided by Frontiers

Citation: Musical duets lock brains as well as rhythms (2012, November 29) retrieved 17 May 2024 from <a href="https://medicalxpress.com/news/2012-11-musical-duets-brains-rhythms.html">https://medicalxpress.com/news/2012-11-musical-duets-brains-rhythms.html</a>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.