

# Smoking in pregnancy tied to lower reading scores, study finds

November 19 2012

---



Credit: AI-generated image ([disclaimer](#))

(Medical Xpress)—Yale School of Medicine researchers have found that children born to mothers who smoked more than one pack per day during pregnancy struggled on tests designed to measure how accurately a child reads aloud and comprehends what they read.

The findings are published in the current issue of *The Journal of Pediatrics*.

Lead author Dr. Jeffrey Gruen, professor of pediatrics and genetics at Yale School of Medicine, and colleagues analyzed data from more than 5,000 children involved in the Avon [Longitudinal Study](#) of Parents and Children (ALSPAC), a large-scale study of 15,211 children from 1990-1992 at the University of Bristol in the United Kingdom.

Gruen and his team from Yale and Brock University in Canada, compared performance on seven specific tasks – reading speed, single-word identification, spelling, accuracy, real and non-word reading, and reading comprehension – with maternal cigarette smoking, after adjusting for [socioeconomic status](#), mother-child interactions, and 14 other potential factors.

They found that on average, children exposed to high levels of nicotine in utero—defined as the minimum amount in one pack of cigarettes per day—scored 21 percent lower in these areas than [classmates](#) born to non-smoking mothers. The children were tested at age seven and again at age nine.

Among students who share similar backgrounds and education, a child of a smoking mother will, on average, be ranked seven places lower in a class of 31 in reading accuracy and comprehension ability.

"It's not a little difference—it's a big difference in accuracy and comprehension at a critical time when children are being assessed, and are getting a sense of what it means to be successful," said Gruen, who also points out that the effects of smoking in pregnancy are especially pronounced in children with an underlying phonological (i.e., speech) deficit, suggesting an interaction between an [environmental exposure](#) (smoking) and a highly heritable trait (phonological ability).

"The interaction between nicotine exposure and phonology suggests a significant gene-by-environment interaction, making [children](#) with an underlying phonological deficit particularly vulnerable," he said.

**More information:** [doi:10.1016/j.jpeds.2012.09.041](https://doi.org/10.1016/j.jpeds.2012.09.041)  
[www.jpeds.com/article/S0022-34 ... \(12\)01133-X/abstract](http://www.jpeds.com/article/S0022-34... (12)01133-X/abstract)

Provided by Yale University

Citation: Smoking in pregnancy tied to lower reading scores, study finds (2012, November 19)  
retrieved 5 May 2024 from <https://medicalxpress.com/news/2012-11-pregnancy-tied-scores.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--