


Triptorelin doesn't avert early ovarian failure in lymphoma

November 7 2012



Treatment of lymphoma patients with the gonadotropin-releasing hormone agonist triptorelin plus norethisterone does not reduce the rate of chemotherapy-induced premature ovarian failure, according to a study published online Nov. 5 in the *Journal of Clinical Oncology*.

(HealthDay)—Treatment of lymphoma patients with the gonadotropin-releasing hormone agonist (GnRHa) triptorelin plus norethisterone does not reduce the rate of chemotherapy-induced premature ovarian failure (POF), according to a study published online Nov. 5 in the *Journal of Clinical Oncology*.

Isabelle Demeestere, M.D., Ph.D., of the Université Libre de Bruxelles in Belgium, and colleagues conducted a one-year follow-up of a multicenter, randomized, prospective trial involving 84 patients with lymphoma, aged 18 to 45 years of age, to assess the efficacy of the GnRHa triptorelin plus norethisterone versus norethisterone alone in preventing chemotherapy-induced ovarian failure.



The researchers found that after six months of follow-up there was no difference between the groups in the mean follicle stimulating hormone values. After one year, there was no significant difference in the rate of POF between the GnRHa and control groups (20 and 19 percent, respectively). Ovarian function was completely restored for more than half the patients in each group, and higher anti-Müllerian hormone values were seen in the GnRHa group versus the control group. Adverse events were similar between the groups, except for metrorrhagia, which was seen more often in the GnRHa group.

"In conclusion, this prospective study involving patients with <u>lymphoma</u> did not provide evidence that GnRHa is effective in preventing POF," the authors write. "However, it suggests a long-term benefit of GnRHa on fertility of patients who spontaneously experience restoration of ovarian function. Until long-term results confirm the benefit of GnRHa to improve future fertility, the treatment should not be administered to prevent POF apart from in experimental protocols."

One author disclosed financial ties to Ipsen.

More information: Abstract

Full Text (subscription or payment may be required)

Copyright © 2012 HealthDay. All rights reserved.

Citation: Triptorelin doesn't avert early ovarian failure in lymphoma (2012, November 7) retrieved 18 April 2024 from

https://medicalxpress.com/news/2012-11-triptorelin-doesnt-avert-early-ovarian.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.