

Surviving sepsis with LECT2

December 17 2012

Failure to launch an adequate immune response may be at the root of septic shock, according to a study published in *The Journal of Experimental Medicine* on December 17th.

Bacterial sepsis is a potentially deadly blood infection that results in massive immune activation and inflammation. Sepsis therapies have traditionally focused on quelling this exaggerated inflammatory response. But a recent study challenged this approach by showing that patients with sepsis had abnormally low levels of an [inflammatory protein](#) called LECT2.

The new study by Jiong Chen and colleagues at Ningbo University in China shows that low LECT2 levels are indeed detrimental. Injecting LECT2 into septic mice promoted bacterial clearance by immune cells called macrophages and increased their production of survival-promoting factors. If these findings hold true in humans, boosting immunity with LECT2 may be protective by helping clear the infection.

More information: Lu, X.-J., et al. 2013. *J. Exp. Med.* [doi: 10.1084/jem.20121466](https://doi.org/10.1084/jem.20121466)

Provided by Rockefeller University

Citation: Surviving sepsis with LECT2 (2012, December 17) retrieved 20 April 2024 from <https://medicalxpress.com/news/2012-12-surviving-sepsis-lect2.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.