

Androgenic hormones could help treat multiple sclerosis, study finds

January 30 2013

Testosterone and its derivatives could constitute an efficient treatment against myelin diseases such as multiple sclerosis, reveals a study by researchers from the Laboratoire d'Imagerie et de Neurosciences Cognitives. Myelin composes the sheaths that protect the nerve fibers and allow the speed of nerve impulses to be increased. A deficit in the production of myelin or its destruction cause serious illnesses for which there is no curative treatment. The researchers have shown that in mice brains whose nerve fibers have been demyelinated, testosterone and a synthetic analog induce the regeneration of oligodendrocytes, the cells responsible for myelination, and that they stimulate remyelination. This work is published on January in the journal *Brain*.

Multiple sclerosis (MS) is a degenerative disease of myelin, which is accompanied by severe inflammation of the central nervous system. Affecting around 80,000 people in France, it is characterized by motor and [vision disorders](#) and by neurological impairments such as elocution difficulties. MS is also known to have a hormonal component. In fact, women are twice as susceptible as men, even though the prognosis is less good for males. In addition, it has been observed that pregnant women suffering from MS do better during pregnancy when their hormone levels are high. The team headed by Dr Said Ghandour had already demonstrated the protective effect of testosterone on oligodendrocytes (the cells responsible for [myelination](#)).

For this study, the researchers firstly induced chronic demyelination of the nerve fibers in the brain of mice. To do this, they added cuprizone, a

molecule that sequesters copper, to their diet. The mice then exhibited chronic [demyelination](#), analogous to that observed during the progressive phase of MS. They were then treated with testosterone for 6 to 9 weeks. As a result, their nerve fibers were once again myelinated and their symptoms were remarkably alleviated. The same effects were obtained using a synthetic testosterone analogue, 7-alpha-methyl-19-nortestosterone (MENT).

The researchers then showed that these androgens bring about the transformation of neural stem cells into oligodendrocytes and promote the synthesis of myelin by oligodendrocytes, thus maintaining the integrity of the nerve fibers. They then repeated the experiment, but this time using two transgenic mouse strains: one with a mutated androgen receptor and the other with a receptor that had been selectively inactivated in the [central nervous system](#). In these androgen-insensitive mice, testosterone did not stimulate remyelination of the [nerve fibers](#).

These results identify the androgen receptor as a promising therapeutic target for treating diseases such as MS. They open the way to the use of androgens-including that of testosterone analogues such as MENT, which is well tolerated in humans-to promote the regeneration of myelin. Further work will focus on the possibility of using testosterone blood levels as biomarkers to evaluate the progression of demyelinating diseases.

More information: Hussain, R. et al. The neural androgen receptor: a therapeutic target for myelin repair in chronic demyelination, *Brain*, January 2013. Volume 136(1): pages 132-146.
[doi:10.1093/brain/aws284](https://doi.org/10.1093/brain/aws284)

Provided by CNRS

Citation: Androgenic hormones could help treat multiple sclerosis, study finds (2013, January 30)
retrieved 9 May 2024 from
<https://medicalxpress.com/news/2013-01-androgenic-hormones-multiple-sclerosis.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.