

Electric stimulation of brain releases powerful, opiate-like painkiller

January 2 2013



Researchers used electricity on certain regions in the brain of a patient with chronic, severe facial pain to release an opiate-like substance that's considered one of the body's most powerful painkillers.

The findings expand on previous work done at the University of Michigan, Harvard University and the City University of New York where researchers delivered electricity through [sensors](#) on the [skulls](#) of chronic [migraine](#) patients, and found a decrease in the [intensity](#) and pain of their headache attacks. However, the researchers then couldn't completely explain how or why.

The current findings help explain what happens in the brain that

decreases pain during the brief sessions of electricity, says Alexandre DaSilva, assistant professor of biologic and materials sciences at the U-M School of Dentistry and director of the school's [Headache & Orofacial Pain Effort Lab](#).

In their current study, DaSilva and colleagues intravenously administered a radiotracer that reached important brain areas in a patient with trigeminal neuropathic pain (TNP), a type of chronic, severe [facial pain](#). They applied the electrodes and electrically stimulated the skull right above the motor cortex of the patient for 20 minutes during a PET scan (positron emission tomography). The stimulation is called transcranial direct current stimulation (tDCS).

The radiotracer was specifically designed to measure, indirectly, the local brain release of mu-opioid, a natural substance that alters pain perception. In order for opiate to function, it needs to bind to the mu-opioid receptor (the study assessed levels of this receptor).

"This is arguably the main resource in the brain to reduce pain," DaSilva said. "We're stimulating the release of our (body's) own resources to provide analgesia. Instead of giving more pharmaceutical opiates, we are directly targeting and activating the same areas in the brain on which they work. (Therefore), we can increase the power of this pain-killing effect and even decrease the use of opiates in general, and consequently avoid their side effects, including addiction."

Most pharmaceutical opiates, especially morphine, target the mu-opioid receptors in the brain, DaSilva says.

The dose of [electricity](#) is very small, he says. Consider that electroconvulsive therapy (ECT), which is used to treat depression and other psychiatric conditions, uses amperage in the brain ranging from 200 to 1600 milliamperes (mA). The tDCS protocol used in DaSilva's

study delivered 2 mA, considerably lower than ECT.

Just one session immediately improved the patient's threshold for cold pain by 36 percent, but not the patient's clinical, TNP/ facial pain. This suggests that repetitive electrical stimulation over several sessions are required to have a lasting effect on clinical pain as shown in their previous migraine study, DaSilva says.

The manuscript appears in the journal *Frontiers in Psychiatry*. The group just completed another study with more subjects, and the initial results seem to confirm the findings above, but further analysis is necessary.

Next, researchers will investigate long-term effects of electric stimulation on the brain and find specific targets in the [brain](#) that may be more effective depending on the pain condition and patients' status. For example, the frontal areas may be more helpful for chronic [pain](#) patients with depression symptoms.

More information: [www.frontiersin.org/Neuropsych...
.2012.00093/abstract](http://www.frontiersin.org/Neuropsych...2012.00093/abstract)

Provided by University of Michigan

Citation: Electric stimulation of brain releases powerful, opiate-like painkiller (2013, January 2) retrieved 25 April 2024 from <https://medicalxpress.com/news/2013-01-electric-brain-powerful-opiate-like-painkiller.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--