

About 10 percent of neoplastic polyps incompletely resected

January 19 2013




Image courtesy of Blausen Medical

About 10 percent of neoplastic polyps are incompletely resected, with considerable variation in the rate of incomplete resection between endoscopists, according to a study published in the January issue of *Gastroenterology*.

(HealthDay)—About 10 percent of neoplastic polyps are incompletely resected, with considerable variation in the rate of incomplete resection between endoscopists, according to a study published in the January issue of *Gastroenterology*.

Heiko Pohl, M.D., from the VA Medical Center in White River Junction, Vermont, and colleagues obtained biopsies from resection margins of patients with at least one non-pedunculated polyp (5 to 20 mm) detected and removed during colonoscopy. The incomplete resection rate (IRR) was determined by the presence of neoplastic tissue in post-polypectomy biopsies.

The researchers found that 10.1 percent of the 346 neoplastic polyps (269 patients; 84.0 percent men; mean age, 63.4 years) removed by 11 [gastroenterologists](#) were incompletely resected. The IRR was significantly higher for large (10 to 20 mm) versus small (5 to 9 mm) neoplastic polyps (17.3 versus 6.8 percent; relative risk, 2.1), and also for sessile serrated adenomas/polyps versus conventional [adenomas](#) (31.0 versus 7.2 percent; relative risk, 3.7). The IRR ranged from 6.5 to 22.7 percent for endoscopists with at least 20 polypectomies. After adjustment for size and sessile serrated histology, there was a 3.4-fold difference between the highest and lowest IRR for endoscopists.

"Our results suggest a need for quality metrics evaluating polyp resection," the authors write. "The performance of high-quality and effective [colonoscopy](#) not only requires expertise in finding neoplastic polyps, but also removing them."

More information: [Abstract](#)

[Full Text](#)

[Editorial](#)

Copyright © 2013 [HealthDay](#). All rights reserved.

Citation: About 10 percent of neoplastic polyps incompletely resected (2013, January 19)
retrieved 4 May 2024 from

<https://medicalxpress.com/news/2013-01-percent-neoplastic-polyps-incompletely-resected.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--