

New study finds taste preferences impact health

February 14 2013

Individuals who have a high preference for sweets and a high aversion to bitter flavors may be at an increased risk of developing metabolic syndrome, according to a new study in the *Journal of Food Science*, published by the Institute of Food Technologists (IFT).

Researchers at the University of North Carolina at Chapel Hill analyzed how two tasting profiles, sweet likers (SL) and supertasters (ST), interact and affect dietary intake and health, particularly [metabolic syndrome](#). Metabolic syndrome is a name for a group of risk factors that occur together and increase the risk for [coronary artery disease](#), stroke, and type-2 diabetes.

What researchers found is that those with both taste profiles or neither taste profiles were more likely to have an increased risk of metabolic syndrome compared to those who were only an SL or ST. The interaction between SL and ST was also significantly associated with fiber and [beverage intake](#) suggesting that tasting patterns may have an effect on both dietary intake and disease risk.

The researchers recommend that more research be done to explore testing of these tasting profiles in order to assist with tailoring dietary interventions to prevent and treat metabolic syndrome.

Provided by Institute of Food Technologists

Citation: New study finds taste preferences impact health (2013, February 14) retrieved 20 March 2024 from <https://medicalxpress.com/news/2013-02-impact-health.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.