

Grandad's hip fracture a risk factor for osteoporosis

March 11 2013

Has your paternal or maternal grandfather broken their hip on any occasion? In that case there is a greater risk that your own bones are more fragile as an adult. This has been demonstrated in a thesis at the Sahlgrenska Academy, University of Gothenburg, Sweden based on a study of over 1,000 young adults in Gothenburg, which identified those factors increasing the risk of bone fragility in men.

The thesis of the PhD student Robert Rudäng at the Sahlgrenska Academy, University of Gothenburg, has evaluated how different factors affect [skeletal health](#) during adult life.

In the thesis, which is based on studies of just over 1,000 young men in Gothenburg, several previously unknown risk factors for osteoporosis in men were identified:

- men whose maternal or paternal grandfather have suffered a [hip fracture](#) have a clearly increased risk of osteoporosis in the form of [low bone density](#) and smaller bone size. Compared with men whose maternal or paternal grandfather had not broken their hip, the difference is between 3 to 5 per cent
- the same risk, though not so pronounced, is found in the case of men born of an older mother
- a further risk factor is smoking, whereby the development of bone density in the lumbar region and hip for men who start smoking around 20 is only half as satisfactory up to the age of

- 25 or so, when compared with non-smokers
- suffering a fracture in childhood or adolescence has a clear link with microstructure impairment of the skeleton in young [adult men](#), which in the study is shown to contribute to lower skeletal strength of roughly 3 to 4 per cent.

"Previous studies have shown that skeletal health in [young adulthood](#) may play a determining role for the risk of suffering osteoporosis and fractures later in life. The studies presented in my thesis identify new risk factors and can hopefully be used to identify, early on, those individuals at risk thereby making it possible to prevent the development of osteoporosis," states Robert Rudäng.

Provided by University of Gothenburg

Citation: Grandad's hip fracture a risk factor for osteoporosis (2013, March 11) retrieved 23 April 2024 from

<https://medicalxpress.com/news/2013-03-grandad-hip-fracture-factor-osteoporosis.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.