

Political strife undermines HIV treatment

March 12 2013



Highly active antiretroviral therapy (HAART) is difficult to maintain under the best of circumstances. War, civil conflict, and political strife displace hundreds of thousands of people, devastating therapy and allowing HIV to increase its resistance to antiviral drugs. Here displaced Kenyan's live in tents in April 2008. Credit: Rami Kantor/Brown University

As Kenyan citizens negotiated the tensions following the March 4 nationwide elections, memories of the violence that followed the December 2007 vote weighed heavily for many reasons. Among those in

any nation with an HIV epidemic, argue authors of a new paper in *AIDS Reviews*, should be the long-term damage that political conflict can do to public health by disrupting treatment and thereby promoting resistance to antiretroviral drugs and treatment failure.

"It's the long-term consequences that make this a bigger issue," said lead author Marita Mann, who began studying the rise of [drug resistant HIV](#) in the wake of Kenya's 2007 strife when she was a Brown University Master of Public Health student. She is now a [doctoral student](#) at the University of Washington. "First there are the patients who are affected themselves during the conflict and may be resistant to treatment later on, but this also may lead to transmitted resistance that will be a bigger problem in the epidemic."

This time around in advance of the elections, Mann said, some Kenya [health workers](#) gave their patients extra supplies of medicine and papers that would help them transfer to another clinic in case they were displaced by new violence. In 2007, more than 1,000 Kenyans died and about 300,000 were displaced.

But many policymakers and [health officials](#) in HIV- and strife-ridden nations have not recognized the link between disrupted treatment and the potential for increased [treatment failure](#) and viral resistance, said senior author Dr. Rami Kantor, associate professor of medicine at Brown University and an [infectious diseases](#) physician at The Miriam Hospital in Providence.

The paper seeks to make that link clear by explaining how an unplanned [treatment interruption](#) can lead to increased viral drug resistance and treatment failure and by describing the research needed to mitigate the effects of treatment interruption in future conflicts.

The paper provides an overview, but the underlying concern is neither

prospective nor hypothetical. In data they have presented at an international HIV conference but not yet published, Mann, Kantor, and colleagues from the AMPATH academic medical collaboration in Kenya found that after the 2007 violence, treatment in subjects whose drug regimens were interrupted by the conflict failed significantly more often than treatment in subjects who did not suffer a conflict-related disruption.

How conflict breeds resistance

HIV mutates often and research shows that as little as a single amino acid change can lead to [drug resistance](#), the authors write. Modern "highly active" antiretroviral therapy (HAART) fights HIV with a potent mix of several drugs that attack the virus in multiple ways, successfully suppressing its replication in most patients.

When violence erupts, staying on those delicately balanced medications can become impossible. Drugs may no longer get to the clinic, patients and health care workers can become displaced, travel to the clinic can become unsafe, and patients can become profoundly depressed by the horror and tragedy around them.

After an unplanned treatment interruption takes place, the multipronged attack of HAART falls apart in an insidious fashion. Some drugs stay in the patient's system longer than others, leaving only a partial therapy in place. That partial therapy fails to stop the virus, instead encouraging the evolution of resistant strains. When full HAART resumes, the virus is better prepared to resist it.

Different variants of the virus will show differences in their likelihood of evolving resistance after an unplanned treatment interruption, the researchers predict.

What can be done

Mann said the steps her colleagues in Kenya took in advance of this year's elections—providing extra medicine and clinic transfer papers—were good ones to take at the level of an individual clinic, assuming they have extra doses of medicine on hand.

Similarly, Kantor said, "In the 2007 conflict AMPATH did a great job to do as much as possible to address the potential issues that we're raising and made great efforts to reach patients to resume care as soon they could, despite the post-conflict displacement and chaos. AMPATH has undertaken similar efforts and preparations for this month's Kenyan elections, including managing treatment stocks, on-call staff, logistical support, and participating in regional and national coordination."

But in the paper, the authors point out that neither health care providers nor officials have much of a rigorous knowledge base to refer to in managing unplanned treatment interruptions. And many officials do not consider or plan for the problem at all.

To better inform and prepare providers and officials, not only in Kenya but in other strife-prone nations with high rates of HIV infection, authors call for further research and attention to planning.

"Research is therefore needed to determine optimal ART stopping and restarting strategies for patients who find themselves in situations of unplanned interruptions," the authors write. "An additional strategy should encompass implementation of contingency treatment plans in developing countries addressing factors like consistent drug supplies, improved patient follow-up, education for healthcare providers, implementation of viral load monitoring and resistance testing and availability of multiple [treatment](#) regimens."

And if political leaders and their opponents happen to need one more reason to forgo violence, they can consider how it appears to worsen the HIV pandemic among their constituents.

Provided by Brown University

Citation: Political strife undermines HIV treatment (2013, March 12) retrieved 2 May 2024 from <https://medicalxpress.com/news/2013-03-political-strife-undermines-hiv-treatment.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--