

## Sleep study reveals how the adolescent brain makes the transition to mature thinking

March 19 2013



Recent research confirms that EEG fluctuations during sleep declines sharply between the ages of 12 and 16-1/2.

(Medical Xpress)—A new study conducted by monitoring the brain waves of sleeping adolescents has found that remarkable changes occur in the brain as it prunes away neuronal connections and makes the major transition from childhood to adulthood.

"We've provided the first long-term, longitudinal description of <u>developmental changes</u> that take place in the brains of youngsters as they sleep," said Irwin Feinberg, professor emeritus of psychiatry and behavioral sciences and director of the UC Davis Sleep Laboratory. "Our



outcome confirms that the <u>brain</u> goes through a remarkable amount of reorganization during puberty that is necessary for complex thinking."

The research, published in the February 15 issue of *American Journal of Physiology: Regulatory, Integrative and Comparative Physiology*, also confirms that <u>electroencephalogram</u>, or EEG, is a powerful tool for tracking <u>brain changes</u> during different phases of life, and that it could potentially be used to help diagnose age-related <u>mental illnesses</u>. It is the final component in a three-part series of studies carried out over 10 years and involving more than 3,500 all-night EEG recordings. The data provide an overall picture of the brain's electrical behavior during the first two decades of life.

Feinberg explained that scientists have generally assumed that a vast number of synapses are needed early in life to recover from injury and adapt to changing environments. These multiple connections, however, impair the efficient problem solving and <u>logical thinking</u> required later in life. His study is the first to show how this shift can be detected by measuring the brain's electrical activity in the same children over the course of time.

Two earlier studies by Feinberg and his colleagues showed that EEG fluctuations during the deepest (delta or slow wave) phase of sleep, when the brain is most recuperative, consistently declined for 9- to 18-year-olds. The most <u>rapid decline</u> occurred between the ages of 12 and 16-1/2. This led the team to conclude that the streamlining of brain activity—or "neuronal pruning"—required for adult cognition occurs together with the timing of reproductive maturity.

Questions remained, though, about electrical activity patterns in the brains of younger children.

For the current study, Feinberg and his research team monitored 28



healthy, sleeping children between the ages of 6 and 10 for two nights every six months. The new findings show that synaptic density in the cerebral cortex reaches its peak at age 8 and then begins a slow decline. The recent findings also confirm that the period of greatest and most accelerated decline occurs between the ages of 12 and 16-1/2 years, at which point the drop markedly slows.

"Discovering that such extensive neuronal remodeling occurs within this 4-1/2 year timeframe during late adolescence and the early teen years confirms our view that the sleep EEG indexes a crucial aspect of the timing of brain development," said Feinberg.

The latest study also confirms that EEG sleep analysis is a powerful approach for evaluating adolescent brain maturation, according to Feinberg. Besides being a relatively simple, accessible technology for measuring the brain's electrical activity, it is more accurate than more cumbersome and expensive options.

"Structural MRI, for instance, has not been able to identify the adolescent accelerations and decelerations that are easily and reliably captured by sleep EEG," said Feinberg. "We hope our data can aid the search for the unknown genetic and hormonal biomarkers that drive those fluctuations. Our data also provide a baseline for seeking errors in brain development that signify the onset of diseases such as schizophrenia, which typically first become apparent during adolescence. Once these underlying processes have been identified, it may become possible to influence <u>adolescent brain</u> changes in ways that promote normal development and correct emerging abnormalities."

**More information:** A copy of "Longitudinal Sleep EEG Trajectories Indicate Complex Patterns of Adolescent Brain Maturation" is available at <u>ajpregu.physiology.org</u>



## Provided by UC Davis

Citation: Sleep study reveals how the adolescent brain makes the transition to mature thinking (2013, March 19) retrieved 1 May 2024 from <u>https://medicalxpress.com/news/2013-03-reveals-adolescent-brain-transition-mature.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.