

## Vitamin D linked to mitochondrial oxidative function

March 19 2013



For vitamin D deficient individuals, cholecalciferol therapy is associated with reduced phosphocreatine recovery half-time in skeletal muscle and with improvements in fatigue, according to a study presented at the annual meeting of the Society for Endocrinology/British Endocrine Societies, held from March 18 to 21 in Harrogate, U.K.

(HealthDay)—For vitamin D deficient individuals, cholecalciferol therapy is associated with reduced phosphocreatine recovery half-time in skeletal muscle and with improvements in fatigue, according to a study presented at the annual meeting of the Society for Endocrinology/British Endocrine Societies, held from March 18 to 21 in Harrogate, U.K.

Akash Sinha, M.B.B.S., from Newcastle University in the United Kingdom, and colleagues conducted a longitudinal study to examine the effect of cholecalciferol therapy on skeletal mitochondrial oxidative function in the gastroc-soleus compartment in 12 symptomatic, vitamin D deficient individuals. Phosphocreatine recovery kinetics were assessed



using phosphorus-31 <u>magnetic resonance spectroscopy</u> measurements in cases before and after treatment with cholecalciferol and in 15 healthy controls.

The researchers found that following cholecalciferol therapy there was a significant reduction in phosphocreatine recovery half-time, indicating an improvement in maximal <u>oxidative phosphorylation</u>. This correlated with improvements in mean serum 25-hydroxyvitamin D (25[OH]D) levels. At rest, there was no difference seen in phosphate metabolites. Decreasing 25(OH)D levels correlated with increasing phosphocreatine recovery half-time. An improvement in fatigue was noted by all patients following cholecalciferol therapy.

"This is the first time a link has been shown between vitamin D status and muscle aerobic function," Sinha said in a statement. "Patients with <u>vitamin D deficiency</u> often experience symptoms of <u>muscle fatigue</u>. Our findings in a small group of patients with very low vitamin D levels show that muscle efficiency significantly improves when vitamin D status is improved."

More information: <u>Abstract</u> <u>More Information</u>

Health News Copyright © 2013 HealthDay. All rights reserved.

Citation: Vitamin D linked to mitochondrial oxidative function (2013, March 19) retrieved 30 April 2024 from <u>https://medicalxpress.com/news/2013-03-vitamin-d-linked-mitochondrial-oxidative.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.