

# Researchers devise X-ray approach to track surgical devices, minimize radiation exposure

April 16 2013

---



This graphic illustrates a surgical tool in a human lung. The blue curve corresponds to what we expect the device to do. The green curve represents what would happen in a real procedure were some perturbations introduced. The red-

dots represent the estimated shape based on where the new x-ray algorithm says the surgical tool actually is. Credit: Edgar Lobaton, North Carolina State University

Researchers from North Carolina State University and the University of North Carolina at Chapel Hill (UNC) have developed a new tool to help surgeons use X-rays to track devices used in "minimally invasive" surgical procedures while also limiting the patient's exposure to radiation from the X-rays.

Many surgical procedures now use long, thin devices – such as "steerable needles" – that can be inserted into a patient's body through a small [incision](#) and then steered to a target location. These "minimally invasive" procedures allow doctors to perform [surgeries](#) without having to make major incisions, which decreases the risk of infection and shortens the patient's [recovery time](#).

However, these techniques pose a challenge to surgeons, because it is difficult for them to determine precisely where the surgical device is in the patient's body.

One solution to the problem is to use X-rays to track the progress of the surgical device in the patient. But doctors want to minimize the number of X-rays taken, in order to limit the patient's exposure to radiation.

"We have now developed an algorithm to determine the fewest number of X-rays that need to be taken, as well as what angles they need to be taken from, in order to give surgeons the information they need on a surgical device's location in the body," says Dr. Edgar Lobaton, an assistant professor of electrical and [computer engineering](#) at NC State and lead author of a paper on the research.

The new tool is a [computer program](#) that allows surgeons to enter what type of procedure they'll be performing and how precise they need the location data to be. Those variables are then plugged into the algorithm developed by the research team, which tells the surgeon how many X-rays will be needed – and from which angles – to produce the necessary location details.

For example, if a surgeon needs only a fairly general idea of where a device is located, only two or three X-rays may be needed – whereas more X-rays would be required if the surgeon needs extremely precise [location data](#).

**More information:** The paper, "Continuous Shape Estimation of Continuum Robots Using X-ray Images," will be presented at the IEEE International Conference on Robotics and Automation, being held in Karlsruhe, Germany, May 6-10.

Provided by North Carolina State University

Citation: Researchers devise X-ray approach to track surgical devices, minimize radiation exposure (2013, April 16) retrieved 1 May 2024 from <https://medicalxpress.com/news/2013-04-x-ray-approach-track-surgical-devices.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--