

Turning Alzheimer's fuzzy signals into high definition

May 7 2013, by Ken Kingery

Scientists at the Virginia Tech Carilion Research Institute have discovered how the predominant class of Alzheimer's pharmaceuticals might sharpen the brain's performance.

One factor even more important than the size of a [television screen](#) is the quality of the signal it displays. Having a life-sized projection of Harry Potter dodging a Bludger in a Quidditch match is of little use if the details are lost to pixilation.

The importance of transmitting clear signals, however, is not relegated to the airwaves. The same creed applies to the [electrical impulses](#) navigating a [human brain](#). Now, new research has shown that one of the few drugs approved for the treatment of Alzheimer's disease helps patients by clearing up the signals coming in from the outside world.

The discovery was made by a team of researchers led by Rosalyn Moran, an assistant professor at the Virginia Tech Carilion Research Institute. Her study indicates that cholinesterase inhibitors—a class of drugs that stop the breakdown of the [neurotransmitter](#) acetylcholine—allow signals to enter the brain with more precision and less [background noise](#).

"Increasing the levels of acetylcholine appears to turn your fuzzy, old analog [TV signal](#) into a shiny, new, high-definition one," said Moran, who holds an appointment as an assistant professor in the Virginia Tech College of Engineering. "And the [drug](#) does this in the sensory [cortices](#). These are the [workhorses](#) of the brain, the gatekeepers, not the more

sophisticated processing regions—such as the [prefrontal cortex](#)—where one may have expected the drugs to have their most prominent effect."

Alzheimer's disease affects more than 35 million people worldwide—a number expected to double every 20 years, leading to more than 115 million cases by 2050. Of the five pharmaceuticals approved to treat the disease by the U.S. [Food and Drug Administration](#), four are cholinesterase inhibitors. Although it is clear that the drugs increase the amount of acetylcholine in the brain, why this improves Alzheimer's symptoms has been unknown. If scientists understood the mechanisms and pathways responsible for improvement, they might be able to tailor better drugs to combat the disease, which costs more than \$200 billion annually in the United States alone.

In the new study, Moran recruited 13 healthy young adults and gave them doses of galantamine, one of the cholinesterase inhibitors commonly prescribed to Alzheimer's patients. Two electroencephalographs were taken—one with the drugs and one without—as the participants listened to a series of modulating tones while focusing on a simple concentration task.

The researchers were looking for differences in neural activity between the two drug states in response to surprising changes in the sound patterns that the participants were hearing.

The scientists compared the results with computer models built on a Bayesian brain theory, known as the [Free Energy](#) Principle, which is a leading theory that describes the basic rules of neuronal communication and explains the creation of complex networks.

The theory hypothesizes that neurons seek to reduce uncertainty, which can be modeled and calculated using free energy molecular dynamics. Connecting tens of thousands of neurons behaving in this manner

produces the probability machine that we call a brain.

Moran and her colleagues compiled 10 computer simulations based on the different effects that the drugs could have on the brain. The model that best fit the results revealed that the low-level wheels of the brain early on in the neural networking process were the ones benefitting from the drugs and creating clearer, more precise signals.

"When people take these drugs you can imagine the brain bathed in them," Moran said. "But what we found is that the drugs don't have broad-stroke impacts on brain activity. Instead, they are working very specifically at the cortex's entry points, gating the signals coming into the network in the first place."

The study appears in Wednesday's (May 8) issue of the *Journal of Neuroscience* in the article, "Free Energy, Precision and Learning: The Role of Cholinergic Neuromodulation."

Provided by Virginia Tech

Citation: Turning Alzheimer's fuzzy signals into high definition (2013, May 7) retrieved 9 April 2024 from <https://medicalxpress.com/news/2013-05-alzheimer-fuzzy-high-definition.html>

| |
|--|
| <p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p> |
|--|