

Jump in drug-dependent babies worries US hospitals

May 13 2013, by Associated Press



In this March 29, 2013 photo, Baby Liam receives a dose of morphine at East Tennessee Children's Hospital in Knoxville, Tenn. The baby is one of many infants born dependent on drugs being treated at the facility. In most cases seen at the hospital, mothers had abused prescription painkillers or anti-anxiety medicines while pregnant. (AP Photo/Wade Payne)

He's less than two weeks old, but he has the telltale signs of a baby in pain: a sore on his chin where he's rubbed the skin raw, along with a scratch on his cheek. He suffers from so many tremors that nurses watch him around the clock in case he starts seizing—or stops breathing.

The baby is one of many infants born dependent on drugs. He is being treated at East Tennessee Children's Hospital in Knoxville, where doctors and nurses are on the front lines fighting the nation's prescription drug epidemic. Drug abuse in the state is ranked among the nation's highest, according to some estimates.

The hospital expects to treat 320 children this year for drug dependence, known as [neonatal abstinence syndrome](#)—up from 33 in 2008. Last year, the hospital treated 283.

"It blew us away," Andrew Pressnell, a nurse at the unit, said of the dramatic increase. "We didn't know what to do."

States across the U.S. have passed laws to crack down on prescription drug abuse, including in the poor, mountainous Appalachian region, where the drugs were easily available as they flowed north from so-called "pill mills" in Florida.

The U.S. government doesn't track the number of [babies](#) born dependent on drugs. A study published last year in the *Journal of the American Medical Association* found that more than 13,000 infants were affected across the U.S. in 2009.

Tennessee is the first state to track the number of babies born dependent on [prescription drugs](#), said Stephen W. Patrick, a [neonatologist](#) at the University of Michigan and one of the authors of the study.

The preferred way to treat drug-dependent babies at the Tennessee hospital is by giving them small doses of an opiate and gradually weaning them off, said Dr. John Buchheit, who heads the neonatology unit. So every few hours, the staff will give the infants [morphine](#) to help them get their symptoms of withdrawal under control. They'll be weaned off over a period of either days or weeks, Buchheit said.



In this March 29, 2013 photo, Andrew Presnell, a nurse at East Tennessee Children's Hospital in Knoxville, Tenn., feeds Baby Liam, who was born dependent on drugs. In most cases of drug-dependent infants seen at the hospital, mothers had abused prescription painkillers or anti-anxiety medicines while pregnant. (AP Photo/Wade Payne)

"The problem is the side effects of morphine," Buchheit said. "The one we worry about—the biggie—is that it can cause you to stop breathing."

Roughly half of the neonatal unit's 49 infants are being treated for [drug dependence](#). For those infants, the pain can be excruciating. The doctors and nurses who treat them say the babies can suffer from nausea, vomiting, severe stomach cramps and diarrhea.

"Diarrhea so bad that their bottoms will turn red like somebody has dipped them in scalding water and blistered and bled," said Carla

Saunders, a neonatal nurse practitioner who helps coordinate the treatment at the hospital.

They have trouble eating, sleeping and in the worst cases suffer from seizures. Many suffer from skin conditions and tremors. Nurses place mittens on their hands because the babies get so agitated that they constantly scratch and rub their faces.

And they are inconsolable.

A small army of volunteers called "cuddlers" help the staff by holding the infants, rocking them and helping them ride out their symptoms.

Many of the babies have private, dark rooms with high-tech rocking machines to keep them calm.



In this March 29, 2013 photo, Bob Woodruff, a volunteer cuddler, walks the hallway with a baby at East Tennessee Children's Hospital in Knoxville, Tenn. The baby is one of many infants born dependent on drugs being treated at the

facility. In most cases seen at the hospital, mothers had abused prescription painkillers or anti-anxiety medicines while pregnant. (AP Photo/Wade Payne)

Bob Woodruff, one of the 57 cuddlers for the hospital, gently rocks Liam, a 10-day old infant who was born drug-dependent. The 71-year-old retired professor moves from room to room, wherever he's needed.

"It's very satisfying," he said.

It is impossible to be unmoved by these infants, said Saunders, the neonatal nurse practitioner.

"If there is anything that could drive the people in our society to stop turning their heads to adult addiction," she said, "it's going to be the babies."

Part of the solution to drug-addicted babies is better education—Tennessee Department of Health Commissioner John Dreyzehner is part of a group lobbying the Food and Drug Administration to put a warning on prescription drug bottles of the dangers of taking drugs while pregnant.

© 2013 The Associated Press. All rights reserved.

Citation: Jump in drug-dependent babies worries US hospitals (2013, May 13) retrieved 5 May 2024 from <https://medicalxpress.com/news/2013-05-drug-dependent-babies-hospitals.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--