

## **Computational tool translates complex data into simplified 2-dimensional images**

May 19 2013



viSNE reveals the progression of cancer in a sample of cells taken from a patient with acute myeloid leukemia. In figure a, the contours represent cell density in each region of the map. Each point represents a cell from the diagnosis sample (top, purple) or relapse sample (bottom, red). In figure b, cells from both diagnosis and relapse samples are shown in each map. Cells are colored according to intensity of expression of the indicated cell markers, enabling the comparison of expression patterns before and after relapse. For example, Fit3 is expressed primarily in the diagnosis sample, while CD34 emerges in the relapse sample. Credit: Dana Pe'er, PhD/Columbia University

## In their quest to learn more about the variability of cells between and



within tissues, biomedical scientists have devised tools capable of simultaneously measuring dozens of characteristics of individual cells. These technologies have led to new challenges, however, as scientists now struggle with how to make sense of the resulting trove of data. Now a solution may be at hand. Researchers at Columbia University and Stanford University have developed a computational method that enables scientists to visualize and interpret "high-dimensional" data produced by single-cell measurement technologies such as mass cytometry. The method, published in the online edition of *Nature Biotechnology*, has particular relevance to cancer research and therapeutics.

Researchers now understand that cancer within an individual can harbor subpopulations of cells with different <u>molecular characteristics</u>. Groups of cells may behave differently from one another, including in how they respond to treatment. The ability to study single cells, as well as to identify and characterize subpopulations of <u>cancerous cells</u> within an individual, could lead to more precise methods of diagnosis and treatment.

"Our method not only will allow scientists to explore the <u>heterogeneity</u> of cancer cells and to characterize drug-<u>resistant cancer cells</u>, but also will allow physicians to track <u>tumor progression</u>, identify drug-resistant cancer cells, and detect minute quantities of cancer cells that increase the risk of relapse," said co-senior author Dana Pe'er, PhD, associate professor of biological sciences and <u>systems biology</u> at Columbia. The other co-senior author is Garry P. Nolan, PhD, professor of microbiology & immunology at Stanford.

The method, called viSNE (visual interactive Stochastic Neighbor Embedding), is based on a sophisticated algorithm that translates highdimensional data (e.g., a dataset that includes many different simultaneous measurements from single cells) into visual representations similar to two-dimensional "scatter plots"—the simple graphs with X and



Y axes that many people first encounter in high school math and biology. "Basically, viSNE provides a way to visualize very high-dimensional data in two dimensions, while maintaining the most important organization and structure of the data," said Dr. Pe'er. "Color is used as a third dimension to enable users to interactively visualize various features of the cells."

The viSNE software can analyze measurements of dozens of molecular markers. In the two-dimensional maps that result, the distance between points represents the degree of similarity between single cells. The maps can reveal clearly defined groups of cells with distinct behaviors (e.g., drug resistance) even if they are only a tiny fraction of the total population. This should enable the design of ways to physically isolate and study these cell subpopulations in the laboratory.

Although the algorithm underlying the method is complex, Dr. Pe'er expects that all researchers, no matter their level of mathematical expertise, will be able to use viSNE.

To demonstrate the software's utility, Dr. Pe'er and her colleagues used mass cytometry and viSNE to study bone marrow cells from patients with acute myeloid leukemia. Currently, clinicians can incorporate at most 4 to 8 markers to assess the cells. Because mass cytometry and viSNE can incorporate many more markers, viSNE is able to identify more subtle differences between cells. Using the algorithm, Dr. Pe'er and her colleagues were able to reveal previously unrecognized heterogeneity in the bone marrow cells they studied.

The researchers also showed that viSNE could detect minimal residual disease (MRD)—extremely small quantities of cancer cells that persist after chemotherapy and raise the risk of recurrence. "In blinded tests, we were able to find as few as 20 <u>cancer cells</u> out of tens of thousands of healthy cells," said Dr. Pe'er. Such a small quantity of cells is extremely



difficult to detect, even by the most experienced pathologist.

"The ability to detect MRD is critical for curing cancer," added Dr. Pe'er. "Eliminating even 99.9 percent of a tumor doesn't bring about a cure. You have to be able to find, and then eliminate, the tiny populations of <u>cells</u> that can survive therapy and lead to disease relapse."

## Provided by Columbia University Medical Center

Citation: Computational tool translates complex data into simplified 2-dimensional images (2013, May 19) retrieved 6 May 2024 from https://medicalxpress.com/news/2013-05-tool-complex-dimensional-images.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.