

Chemical in antibacterial soaps may harm nursing babies

June 27 2013

A mother's prolonged use of antibacterial soaps containing the chemical triclocarban may harm nursing babies, according to a recent study from the University of Tennessee, Knoxville.

The study, which was conducted on rats, showed that exposure to the compound may reduce the [survival rates](#) of babies.

Rebekah Kennedy, a UT graduate student pursuing a dual master's degree in public health and nutrition, and Jiangang Chen, an assistant professor in the UT Department of Public Health, presented the results this month at the Endocrine Society's 95th Annual Meeting and Expo in San Francisco. Kennedy was the study's lead author.

Triclocarban, a bactericide, is found primarily in [antibacterial](#) bar soaps.

The researchers noted that they were not condemning the use of [antibacterial soaps](#).

"People have to weigh their own risks and decide what would be the best route," Kennedy said. "There's always a time and place for antibacterial bar soaps, such as in health care settings where the chance of infection and transmission is high. For the average person, antibacterial soap is no more effective than regular soap."

Chen conducted an earlier study that examined how prolonged exposure to triclocarban affected growth of [sex organs](#) in adult male rats. Kennedy

decided to go a step further and look into how it would affect baby rats in the womb and during nursing.

Humans are exposed to triclocarban through skin absorption. Research shows that based on how the compound is biotransformed, oral exposure in rats is similar to dermal exposure for humans, Kennedy said.

During Kennedy's research, pregnant rats fed with triclocarban through food had similar blood concentrations compared to human blood concentrations after a 15-minute shower using antibacterial soap.

The study found that triclocarban did not affect the post-birth survival rate of baby rats exposed to the compound in the womb. But baby rats nursed by mothers that were exposed to the compound did not survive beyond the sixth day after birth.

The results showed that a mother's long-term use and exposure to triclocarban could affect her baby's early development, according to the animal model, Kennedy said.

Humans may be exposed to [triclocarban](#) through other ways besides skin absorption, including produce consumption, Chen said. Triclocarban is washed down the drain, where about 95 percent of it is removed when wastewater is treated. The remainder may still be a problem, particularly since treated wastewater is used for agricultural purposes.

"There are potential exposure routes in daily life we are not aware of," Chen said. "The goal is to try to minimize those if at all possible."

Provided by University of Tennessee at Knoxville

Citation: Chemical in antibacterial soaps may harm nursing babies (2013, June 27) retrieved 10

April 2024 from

<https://medicalxpress.com/news/2013-06-chemical-antibacterial-soaps-nursing-babies.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.