

Findings emphasise importance of vitamin D in pregnancy

June 24 2013



The amount of vitamin D in mothers determines more than half the level found in their newborn babies.

Pregnant women pass low levels of vitamin D on to their babies at almost three times the extent previously thought, according to new research carried out at London's Kingston University.

While current studies suggest that around a fifth (19 per cent) of a [newborn baby](#)'s supply or deficiency of vitamin D comes directly from its mother, experts from Kingston's School of [Life Sciences](#) have discovered that the figure is, in fact, almost three times as high at 56 per cent. The results have been revealed using a new measuring technique, developed in the laboratories at Kingston, which is able to examine eight different forms of vitamin D in greater detail for the first time.

The study, just published in *Nutrition Journal*, focused on 120 samples taken from 60 Greek mothers and their babies. The research was conducted with the Department of [Obstetrics and Gynaecology](#) at Aristotle University of Thessaloniki in Greece. Although the Mediterranean nation enjoys more hours of sunshine than the United Kingdom, the research revealed that many of the mothers had low levels of vitamin D, suggesting that what they ate was an equally important source.

Professor Declan Naughton, who headed the Kingston University research team, said the findings made it more important than ever that mothers-to-be received the key nutrient not only through sunlight but also through foods such as [oily fish](#). "The impact that mothers deficient in vitamin D have on their babies' levels is a much bigger problem than we thought," Professor Naughton said. "Maintaining good supplies during pregnancy is clearly of vital importance for both mothers' and babies' [long term health](#)."



The scientists say good nutrition is just as vital as sunlight to boost vitamin D levels in mothers-to-be.

Lack of the vitamin in pregnant women has been linked to diabetes and increased rates of [caesarean section](#) births, while babies can be smaller than average. In children, the deficiency can cause rickets – a soft [bone disease](#).

Vitamin D plays an important role in maintaining good levels of calcium and [phosphate](#) which help form healthy bones and teeth. The two main forms are vitamin D3, which primarily comes from sunlight, and D2 which is found in a small number of foods including egg yolk,

mushrooms, farmed salmon, mackerel, sardines and fortified bread and cereals. Processes in the body convert the vitamin into what is known as the circulating form – the type commonly measured in routine blood tests – followed by the active form – the type that promotes calcium absorption, cell growth and immunity.

Professor Naughton and his team found that the type of vitamin D commonly measured in blood tests was not as reliable an indicator of vitamin D activity as other strands. They went on to discover that two epimer forms, previously thought to be unimportant, influenced levels in babies. "This shows the need for more accurate measurement to assess levels of vitamin D as well as the need to look more closely at its different forms," Professor Naughton said.

Further clinical studies would be required to examine the effectiveness of vitamin D supplements in [pregnant women](#) to see whether particular factors made it difficult for them to absorb the nutrient, Professor Naughton added.

The research forms part of wider investigations being conducted by Professor Naughton and his team into vitamin D's role in conditions including Alzheimer's disease, diabetes and multiple sclerosis.

More information: Karras, S. et al. An observational study reveals that neonatal vitamin D is primarily determined by maternal contributions: implications of a new assay on the roles of vitamin D forms, *Nutrition Journal* 2013, 12:77. [doi:10.1186/1475-2891-12-77](https://doi.org/10.1186/1475-2891-12-77)

Provided by Kingston University, London

Citation: Findings emphasise importance of vitamin D in pregnancy (2013, June 24) retrieved 18

April 2024 from

<https://medicalxpress.com/news/2013-06-emphasise-importance-vitamin-d-pregnancy.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.