

Nuclear testing from the 1960s helps scientist determine whether adult brains generate new neurons

June 6 2013



The birth of new neurons in the adult brain sharpens memory in rodents, but whether the same holds true for humans has long been debated. A study published by Cell Press June 6th in the journal *Cell* reveals that a significant number of new neurons in the hippocampus—a brain region crucial for memory and learning—are generated in adult humans. The researchers used a unique strategy based on the amount of carbon—14 found in humans as a result of above—ground nuclear testing more than half a century ago. The findings suggest that new neurons are born daily in the human hippocampus, offering the tantalizing



possibility that they may support cognitive functions in adulthood. Credit: *Cell*, Spalding et al.

The birth of new neurons in the adult brain sharpens memory in rodents, but whether the same holds true for humans has long been debated. A study published today in the journal *Cell* reveals that a significant number of new neurons in the hippocampus—a brain region crucial for memory and learning—are generated in adult humans. The researchers used a unique strategy based on the amount of carbon-14 found in humans as a result of above-ground nuclear testing more than half a century ago. The findings suggest that new neurons are born daily in the human hippocampus, offering the tantalizing possibility that they may support cognitive functions in adulthood.

"It was thought for a long time that we are born with a certain number of neurons, and that it is not possible to get new neurons after birth," says senior study author Jonas Frisén of the Karolinska Institute. "We provide the first evidence that there is substantial <u>neurogenesis</u> in the human hippocampus throughout life, suggesting that the new neurons may contribute to human brain function."

Due to technical limitations, until now it was not possible to quantify the amount of neurogenesis in humans. To overcome this hurdle, Frisén and his team developed an innovative method for dating the birth of neurons. This strategy takes advantage of the elevated atmospheric levels of carbon-14, a nonradioactive form of carbon, caused by above-ground nuclear bomb testing more than 50 years ago. Since the 1963 nuclear test ban treaty, atmospheric levels of "heavy" carbon-14 have declined at a known rate. When we eat plants or animal products, we absorb both normal and heavy carbon at the atmospheric ratios present at that time, and the exact atmospheric concentration at any point in time is stamped



into DNA every time a new neuron is born. Thus, neurons can be "carbon dated" in a similar way to that used by archeologists.

By measuring the carbon-14 concentration in DNA from hippocampal neurons of deceased humans, the researchers found that more than one-third of these cells are regularly renewed throughout life. About 1,400 new neurons are added each day during adulthood, and this rate declines only modestly with age.

Because hippocampal neurogenesis occurs to a similar extent in adult humans and adult mice, it could also play an important role in human cognition and psychiatric disease. "It has long been suspected that depression is related to reduced hippocampal neurogenesis, and our findings suggest that new and more effective antidepressants could potentially be developed to target this process," Frisén says.

More information: Spalding et al.: "Dynamics of hippocampal neurogenesis in adult humans." *Cell*, dx.doi.org/10.1016/j.cell.2013.05.002

Provided by Cell Press

Citation: Nuclear testing from the 1960s helps scientist determine whether adult brains generate new neurons (2013, June 6) retrieved 2 May 2024 from https://medicalxpress.com/news/2013-06-nuclear-1960s-scientist-adult-brains.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.