

## New optical metrics can identify patients on 'fast track' to decreased vision

June 24 2013

Sophisticated new optical quality metrics can identify older adults likely to have more rapid age-related declines in vision, suggests a study, "Factors Accounting for the 4-Year Change in Acuity in Patients Between 50 and 80 Years", in the July issue of *Optometry and Vision Science*, official journal of the American Academy of Optometry.

The study by Darren E. Koenig, OD, PhD, and colleagues of University of Houston College of Optometry defines three advanced optical measures that may help in predicting which older <u>patients</u> will have larger drops in <u>visual acuity</u> over time. "These fast-changing optical metrics allow the identification of patients at risk of being on a fast track to visual acuity loss," comments Anthony Adams, OD, PhD, Editor-in-Chief of *Optometry and Vision Science*.

## Advanced Optical Measures Predict Change in Visual Acuity

Dr Koenig and coauthors performed a follow-up study in 148 <u>older</u> <u>adults</u>, aged 50 to 80 years. In addition to standard visual acuity testing, the participants underwent wavefront error (WFE) testing—a computerized test that can detect subtle abnormalities in the eye's handling of light. About 40 optical components based on WFE were calculated, including 31 different image quality measures, four measures of light scatter in the eye, and four measures of opacification (clouding) of the lens of the eye.



Four years later, visual acuity was measured again. The optical metrics were evaluated for their ability to predict the rate of decline in visual acuity during that time. The goal was to see whether any of the <u>image</u> <u>quality</u> or other metrics could predict which patients would have faster than usual age-related declines in vision.

Overall, the average change in visual acuity during follow-up was loss of 1.6 letters on the standard <u>eye chart</u>. That was consistent with the expected age-related decline.

However, a subgroup of 50 patients had larger changes in visual acuity during follow-up. In this group the average change was loss of 3.4 letters.

## **Three Significant Predictors of Faster Age-Related Visual Decline**

With adjustment for other factors, three optical measures predicted a larger change in visual acuity. These included one optical quality measure ("trefoil"), one measure of optical light scatter ("point spread function entropy"), and one measure of lens clouding (posterior subcapsular cataract).

Together, these three measures accounted for 32 percent of the change in visual acuity in patients with larger-than-expected change in visual acuity. Older age explained at additional two percent of the change.

For the overall sample of 148 eyes, the same factors explained 15 percent of the change in visual acuity. In these slower-changing eyes, older age was the most important predictor.

Advanced optical quality metrics can detect a wide range of minor imperfections in the visual performance of the eye. Computerized WFE



analysis is becoming more widely available to detect these subtle vision defects, for example, as part of LASIK and corneal surgery.

The new study suggests that some of these WFE-based metrics may be useful in predicting which patients will have more rapid than usual agerelated decline in visual acuity. "Correlations like those found here in fast changing eyes allow the identification of those at risk of being on a fast track to acuity loss," Dr Koenig and coauthors conclude.

"This raises the possibility that those patients may be able to be identified prior to their vision loss simply by measuring these <u>optical</u> <u>components</u> at the outset," Dr Adams adds. "The relatively recent ability to measure many components of the optics of the eye, beyond simply the refractive prescription for glasses or contact lenses, has made this research possible."

Provided by Wolters Kluwer Health

Citation: New optical metrics can identify patients on 'fast track' to decreased vision (2013, June 24) retrieved 2 May 2024 from <u>https://medicalxpress.com/news/2013-06-optical-metrics-patients-fast-track.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.